

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 11/13/2025
Report Date: 11/18/2025
NELabs Report ID: 2599609-05

HE0280-1

Biotrack ID: GREEN DIESEL LIVE RESIN AIO 1G VAPE

0486 4389 4043 1900

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	1.27	12.7
CBG	1.93	19.3
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	0.70	7.0
Δ^9 THC	70.54	705.4
Δ^8 THC	<LOQ	<LOQ
CBL	-	-
THCA	2.49	24.9
CBC	-	-
Total Cannabinoids	76.93	769.3
Total THC % <small>(0.877*THCA)+THC</small>	72.72	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	0.21
Camphene	-
β -Myrcene	0.51
β -Pinene	-
δ -3-Carene	0.12
Limonene	0.92
p-Cymene	-
α -Terpinolene	3.06
Linalool	0.25
Caryophyllene	1.04
α -Humulene	0.46
α -Bisabolol	-
Terpinene (total)	0.39
Ocimene (total)	1.50
Nerolidol (total)	0.19
Total Terpenes	8.65



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 11/13/2025
Report Date: 11/18/2025
NELabs Report ID: 2599609-05

HE0280-1

Biotrack ID: GREEN DIESEL LIVE RESIN AIO 1G VAPE

0486 4389 4043 1900

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 11/13/2025

DATE 11/18/2025	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

