



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: occlicensing@ct.gov Website: www.ctoec.org

FAMILY CHILD CARE HOME INSPECTION

Provider	JUANA GARCIA				License Number	DCFH.50528	Date of Inspection	12/29/2025
					Expiration Date	3/31/2026	Time of Inspection	09:46 AM
Address	37 WASHINGTON ST WATERBURY CT 06706-1413				Telephone	(203) 565-1110	Regular Capacity	6
					Hours of Operation	7:00 AM – 6:00 PM	School Age Capacity	3
Is this a Change of Address?	Yes?		No?	X	Days of Operation	Mon-Fri	Summer Hours	Open
New Address					# Under 18 mths present	0	Weekend Hours	No
					Total children present	0	Night Hours	No
Type of Inspection	UNANNOUNCED INSPECTION - FULL				Inspector's Name	Alexandra Rodriguez		
Provider's Email	juanaingarcia101@gmail.com				Inspector's Email	alexandra.rodriguez@ct.gov		

Key:
 Compliant = X
 Non-Compliant = O

Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h). *AG*

 Signature of Provider/Substitute/Applicant

TERMS OF REGISTRATION 19a-87b-5

X	4. Capacity	
X	5. Non-transferability of license	Pending?
X	6. Infant/Toddler Restriction	
X	7. License Posted	
X	8. Parent Access to OEC Phone Number	
X	9. Photo ID	
X	10. Requests for Information	
X	11. Notification of Change	

QUALIFICATION OF PROVIDER 19a-87b-6

X	12. Awareness of, Understanding of Regulations	
O	13. Medical statement Expiration date: 11/17/2025	Provider not in compliance with maintaining a current medical statement.
X	14. First Aid Certificate Expiration date: 04/12/2027	

X	15. CPR Certificate	
	Expiration date:	
	04/12/2027	
X	16. Judgment	

MEMBERS OF THE HOUSEHOLD 19a-87b-7

X	17. Medical Statement	
X	18. Household Environment	

QUALIFICATIONS OF STAFF 19a-87b-8

X	19. Sub/Assistant	Y/N	Name:		Appvl #	
	Type of Staff :	N				
X	20. Emergency Caregiver					

COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a

X	21. Background Check(s)	
---	-------------------------	--

PHYSICAL ENVIRONMENT 19a-87b-9

X	22. Clean/Sanitary Environment	
O	23. Freedom of Hazards	Observed the following hazards; ceiling in bathroom and kitchen are deteriorating. Observed a large hole in kitchen ceiling near bathroom. Multiple areas in kitchen ceiling of peeling paint. Observed cleaning products in bathroom and kitchen such as Draino and PineSol. Continued in discussion..
O	24. Harmful Substances/Materials Inaccessible	Provider not in compliance with ensuring harmful substances and materials are inaccessible to children when observed uncovered cat litter bin at entrance of home. Observed empty beer can on kitchen counter and empty beer bottle by entrance of home.
X	25. Bio-contaminants Disposed Safely	
X	26. Safe Storage of Flammables	
X	27. Safe Door Fasteners	
O	28. Electrical Safety	Provider not in compliance with maintaining protective covers or approved safety outlets when observed 3 outlet covers missing in childcare area.
O	29. Safe Exits	Provider not in compliance with maintaining two readily accessible exits from each room when provider attempted to open back door to outside and couldn't. Provider stated owner blocked door from outside with something. Provider nor specialist could walk around to the outside to observe obstruction due to icy path.
X	30. Basement Supervision	Y/N
		N
	Used for Care ?	Y/N
X	31. Stairways - Protected, Handrails	
O	32. Emergency Plan	Provider not in compliance with maintaining a written emergency plan when not available firing inspection.

<input type="radio"/>	33. Emergency Evacuation Drills - Quarterly/Log	Provider not in compliance with maintaining a written log of the drills for one year.	
<input type="radio"/>	34. Smoke Detectors	Provider not in compliance with maintaining operable smoke detector during inspection.	
<input type="radio"/>	35. Carbon Monoxide Detector	Provider not in compliance with maintaining operable carbon monoxide detectors on each occupied level of the home during inspection.	
<input checked="" type="checkbox"/>	36. Fire Extinguisher- 5 lb. ABC/Installed		
<input checked="" type="checkbox"/>	37. Auxiliary Heating System N Type?	Appvd?	
<input checked="" type="checkbox"/>	38. Safe Storage of Weapons and Ammunition		
	39. Safe Space-Sufficient	Unable to observe outdoor space due to snow and ice.	
	Indoors	Y	
	Outdoors	Y	
<input checked="" type="checkbox"/>	40. Body of Water-Type:	Y/N	
	Barrier?	N	
<input checked="" type="checkbox"/>	41. Hot Tubs-Locked - Inaccessible	Y/N	
		N	
<input checked="" type="checkbox"/>	42. Ventilation, Light and Temperature- 65°		
<input checked="" type="checkbox"/>	43. Window Safety		
<input checked="" type="checkbox"/>	44. Washing Toileting, Sewage Garbage Facilities		
<input checked="" type="checkbox"/>	45. Adequate and Safe Water - Type of System:		
	Public Water		
<input type="radio"/>	46. Water Temperature- 60°-120°	Provider not in compliance with maintaining a safe water temperature between 60-120 degrees when observed the water temperature at 146 degrees F.	
<input checked="" type="checkbox"/>	47. Pasteurization of Milk Supply		
<input checked="" type="checkbox"/>	48. Working Phone, Emergency Numbers Posted		
<input checked="" type="checkbox"/>	49. Safe Transportation Registered, Insured, Restraints		
<input type="radio"/>	50. First Aid supplies	Provider not in compliance with maintaining a complete first aid kit; missing cpr mask, thermometer and two instant ice packs.	
<input checked="" type="checkbox"/>	51. Pet protection	Type: 1 cat	
	Pets?	Y	
	Rabies Certs?	Y	
<input checked="" type="checkbox"/>	52. Smoking Prohibited		

RESPONSIBILITIES OF PROVIDER 19a-87b-10

<input checked="" type="checkbox"/>	53. Enrollment Form		
-------------------------------------	---------------------	--	--

X	54. Child Health Record	
X	55. Immunizations	
X	56. Emergency Permission	
X	57. Authorized Release	
X	58. Field Trip and Transportation Permission-To/From School	
X	59. Swimming Permission	
X	60. Incident Log	
X	61. Confidentiality	
X	62. Meeting the Child's Needs	
O	63. Sufficient Play Equipment	Provider not in compliance with providing sufficient indoor play equipment when observed a few babydolls and one race car track.
X	64. Good Nutrition- Meals/Snacks, Water Available	
X	65. Handwashing	
O	66. Flexible and Balanced Written Schedule	Provider not in compliance with developing and implementing a written schedule when not available during inspection.
X	67. Personal Articles- Blanket, Towel, Toilet Articles	
X	68. Proper Rest Provisions – Safe Cribs	
X	69. Individual Plan for Care (Written if Applicable)	
X	70. Cultural Differences, Sp. Needs, Dev. Appr. Activities	
X	71. Infant Care, Indiv Attention, Held for Bottle Feedings	
X	72. Infants Placed on Back for Sleeping	
X	73. Infants Placed in Crib, Well constructed, Snug Mattress, Tight Sheet	

X	74. Crib or Other Provision Free from Observable Hazards	
X	75. Infants not Swaddled	
X	76. Infants Supervised – minimum every 15 minutes	
X	77. Req. for Sleep Arrangements Posted/Discussed	
X	78. Diaper Changing- Frequent, Sanitary, Handwashing, Waste Disposal	
X	79. Parent Information and Access	
O	80. Developmental Milestones – Posted	Provider not in compliance with a copy of the developmental milestones information sheet when not available during inspection.
X	81. Supervision- at all Times, Indoors, Outdoors	
X	82. Personal Schedule- Alert, Competent Attention	
X	83. Full Attention - Distractions, Employment, Socialization	
X	84. Immediate Attention	
X	85. Substitute – Emergency Caregiver Present	
X	86. Appr. Discipline, Behavior Management	
X	87. Discuss Beh. Management Methods w/Staff and Parents	
X	88. Child Protection- Abuse/Neglect	
X	89. Notify OEC within 24 hrs. - Death or Serious Injury	
X	90. Mandated Reporting Abuse or Neglect to DCF	
SICK CHILD CARE 19a-87b-11		
X	91. Sick Child Care	
NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N		
X	92. Separate Bed- Location of Bed - Appropriate Sleepwear	

OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13

X	93. Access- Immediate, Entire or Part of Facility and Records	
----------	--	--

ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N

X	94. Policies and Procedures for Admin of Meds	
----------	---	--

X	95. Parent Permission for Nonprescription Topical Meds	
----------	---	--

X	96. Notification - Documentation of Med Error(s)	
----------	--	--

X	97. Nonprescription Topical Meds- Stored/Labeled	
----------	---	--

X	98. Unused - Expired Nonprescription Meds	
----------	--	--

X	99. Documented Medication Trained Staff	
----------	---	--

X	100. Written Auth Prescriber/Parent Permission	
----------	--	--

X	101. MAR Maintained	
----------	------------------------	--

X	102. Prescription Meds - Stored/Labeled	
----------	---	--

X	103. Unused/Expired Prescription Meds	
----------	---	--

X	104. Emergency Meds- Equip. Labeled/Current	
----------	---	--

X	105. Self-Admin. Of Meds	
----------	-----------------------------	--

X	106. Petition for Special Medication Authorization	
----------	---	--

MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N

X	108. Policies for Finger Stick Blood Glucose Testing	
----------	--	--

X	109. Finger Stick Blood Glucose Testing - Staff Trained	
----------	--	--

X	110. Self Admin of Finger Stick Blood Glucose Testing	
----------	---	--

X	111. Testing Equip. & Supplies- Maintain, Labeled, Locked, Disposed	
----------	--	--

X	112. Finger Stick Blood Glucose Testing Records	
X	113. Parent Notification of Test Results	

ADDITIONAL VIOLATIONS

	114. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?	Yes	LEVEL OF NON-COMPLIANCE THIS VISIT:	14 out of 108
--	------------	--	----------------------

DISCUSSIONS/COMMENTS

#23 Freedom of Hazards Continued -Observed personal hygiene products accessible to children in bathroom. Observed multiple areas in bathroom ceiling of possible mold from humidity. Observed multiple floor tiles ripped off in kitchen. Observed cat food in open bowl accessible to children in hallway way. ___Specialist was able to gather a sample of ceiling in kitchen. Specialist reminded provider she may not paint or repair ceiling until lead results come back from office.

IMPORTANT NOTES

- *It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.*
- *Only the regulations marked as compliant or non-compliant were monitored or discussed.*
- *APPLICANTS –You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.*

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Provider/Applicant/Substitute)
Alexandra Rodriguez (Printed Name)	 (Printed Name)	01/12/2026	JUANA GARCIA (Printed Name)