

## 260305-VA-RR-BRLY-20ct-FG

BioTrack Lot ID: 8106036060844657

**Sample ID: 2603ANSCT0265-1889** Completed: 03/10/2026

Strain: Expiration: 03/10/2027

Ingestible, Soft Chew, , ,

### Client

**Connecticut Contract Manufacturing**

Lic. # ACFB.0001847

1244 Old Clinton Rd

Westbrook, CT 06498

Sample Size: 3 units

COC #: 2603ANSCT0265; Number of Servings: ; Sample Condition: Intact;



### Summary

| Test              | Date Tested | Result             |
|-------------------|-------------|--------------------|
| Batch             |             | Pass               |
| Cannabinoids      | 03/05/2026  | Complete           |
| Water Activity    | 03/05/2026  | 0.61 aw - Complete |
| Residual Solvents | 03/05/2026  | Pass               |
| Microbials        | 03/05/2026  | Pass               |
| Mycotoxins        | 03/10/2026  | Pass               |
| Pesticides        | 03/10/2026  | Pass               |
| Heavy Metals      | 03/09/2026  | Pass               |

Water Activity Entered By: 012  
Instrument ID: CT-WA-3  
Water Activity analyzed per CT-SOP-012

Cannabinoids

Complete

**4.733 mg/serving**

Total Active THC

**0.084 mg/serving**

Total Active CBD

**7.354 mg/serving**

Total Active Cannabinoids

| Analyte                             | LOD<br>mg/serving | LOQ<br>mg/serving | Result<br>mg/serving | Result<br>%  | Qualifiers |
|-------------------------------------|-------------------|-------------------|----------------------|--------------|------------|
| THCa                                | 0.00081           | 0.00300           | ND                   | ND           |            |
| Δ9-THC                              | 0.00090           | 0.00300           | 4.73                 | 0.158        |            |
| Δ8-THC                              | 0.00141           | 0.00300           | ND                   | ND           |            |
| THCVa                               | 0.00042           | 0.00300           | ND                   | ND           |            |
| THCV                                | 0.00081           | 0.00300           | ND                   | ND           |            |
| CBDa                                | 0.00045           | 0.00300           | ND                   | ND           |            |
| CBD                                 | 0.00045           | 0.00300           | 0.08                 | 0.003        |            |
| CBDVa                               | 0.00039           | 0.00300           | ND                   | ND           |            |
| CBDV                                | 0.00027           | 0.00300           | ND                   | ND           |            |
| CBNa                                | 0.00219           | 0.00300           | ND                   | ND           |            |
| CBN                                 | 0.00072           | 0.00300           | 2.41                 | 0.080        |            |
| CBGa                                | 0.00081           | 0.00300           | ND                   | ND           |            |
| CBG                                 | 0.00123           | 0.00300           | 0.13                 | 0.004        |            |
| CBCa                                | 0.00168           | 0.00300           | ND                   | ND           |            |
| CBC                                 | 0.00126           | 0.00300           | ND                   | ND           |            |
| CBL                                 | 0.00207           | 0.00300           | ND                   | ND           |            |
| CBT                                 | 0.00075           | 0.00300           | ND                   | ND           |            |
| <b>Total Available THC</b>          |                   |                   | <b>4.73</b>          | <b>0.158</b> |            |
| <b>Total Active THC</b>             |                   |                   | <b>4.73</b>          | <b>0.158</b> |            |
| <b>Total Available CBD</b>          |                   |                   | <b>0.08</b>          | <b>0.003</b> |            |
| <b>Total Active CBD</b>             |                   |                   | <b>0.08</b>          | <b>0.003</b> |            |
| <b>Total Available Cannabinoids</b> |                   |                   | <b>7.35</b>          | <b>0.245</b> |            |
| <b>Total Active Cannabinoids</b>    |                   |                   | <b>7.35</b>          | <b>0.245</b> |            |

Entered by: 005; Instrument ID: 2; Date Tested: 03/05/2026; 1 servings per container. Serving Weight: 3.00 grams.

Cannabinoids analyzed per CT-SOP-009. LOD= Limit of Detection, LOQ = Limit of Quantitation, ND = Not Detected. Total Available THC = Δ9-THC + THCa. Total Active THC = Δ9-THC + (THCa0.877). Total Available CBD = CBD + CBDA. Total Active CBD = CBD + (CBDA0.877). Total Active Cannabinoids = THCa0.877+ Δ9-THC+ Δ8-THC+ THCVa0.867+ THCV+ CBDA 0.877 + CBD+ CBDV+ CBDVa 0.867+ CBNA0.876+ CBN + CBGA0.878+ CBG + CBGA\*0.877+CBC+ CBL+ CBT. Total Available Cannabinoids = sum of all detected cannabinoids. Calculated percentage by dry weight.




Ryan Picard  
Lab Director  
03/10/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

## 260305-VA-RR-BRLY-20ct-FG

BioTrack Lot ID: 8106036060844657

**Sample ID: 2603ANSCT0265-1889** Completed: 03/10/2026

Strain: Expiration: 03/10/2027

Ingestible, Soft Chew, , ,

Client

**Connecticut Contract Manufacturing**

Lic. # ACFB.0001847

1244 Old Clinton Rd

Westbrook, CT 06498

Sample Size: 3 units

COC #: 2603ANSCT0265; Number of Servings: ; Sample Condition: Intact;

## Pesticides

Pass

| Analyte             | LOD    | LOQ | Limit    | Result | Status | Analyte                 | LOD    | LOQ | Limit    | Result | Status |
|---------------------|--------|-----|----------|--------|--------|-------------------------|--------|-----|----------|--------|--------|
|                     | PPB    | PPB | PPB      | PPB    |        |                         | PPB    | PPB | PPB      | PPB    |        |
| Abamectin           | 0.0270 | 5.0 | 300.00   | ND     | Pass   | Fludioxonil             | 0.0220 | 5.0 | 30000.00 | ND     | Pass   |
| Acephate            | 0.0130 | 5.0 | 5000.00  | ND     | Pass   | Hexythiazox             | 0.0150 | 5.0 | 2000.00  | ND     | Pass   |
| Acequinocyl         | 0.0100 | 5.0 | 4000.00  | ND     | Pass   | Imazalil                | 0.0120 | 5.0 | 100.00   | ND     | Pass   |
| Acetamiprid         | 0.0110 | 5.0 | 5000.00  | ND     | Pass   | Imidacloprid            | 0.0110 | 5.0 | 3000.00  | ND     | Pass   |
| Aldicarb            | 0.0130 | 5.0 | 100.00   | ND     | Pass   | Kresoxim Methyl         | 0.0150 | 5.0 | 1000.00  | ND     | Pass   |
| Azoxystrobin        | 0.0210 | 5.0 | 40000.00 | ND     | Pass   | Malathion               | 0.0180 | 5.0 | 5000.00  | ND     | Pass   |
| Bifenazate          | 0.0270 | 5.0 | 5000.00  | ND     | Pass   | Metalaxyl               | 0.0160 | 5.0 | 15000.00 | ND     | Pass   |
| Bifenthrin          | 0.0280 | 5.0 | 500.00   | ND     | Pass   | Methiocarb              | 0.0180 | 5.0 | 100.00   | ND     | Pass   |
| Boscalid            | 0.0110 | 5.0 | 10000.00 | ND     | Pass   | Methomyl                | 0.0110 | 5.0 | 100.00   | ND     | Pass   |
| Captan              | 0.0900 | 5.0 | 5000.00  | ND     | Pass   | Methyl Parathion        | 0.0080 | 5.0 | 100.00   | ND     | Pass   |
| Carbaryl            | 0.0110 | 5.0 | 500.00   | ND     | Pass   | Mevinphos               | 0.0080 | 5.0 | 100.00   | ND     | Pass   |
| Carbofuran          | 0.0130 | 5.0 | 100.00   | ND     | Pass   | Myclobutanil            | 0.0170 | 5.0 | 9000.00  | ND     | Pass   |
| Chlorantraniliprole | 0.0120 | 5.0 | 40000.00 | ND     | Pass   | Naled                   | 0.0110 | 5.0 | 500.00   | ND     | Pass   |
| Chlordane           | 0.0320 | 5.0 | 100.00   | ND     | Pass   | Oxamyl                  | 0.0110 | 5.0 | 200.00   | ND     | Pass   |
| Chlorfenapyr        | 0.0280 | 5.0 | 100.00   | ND     | Pass   | Paclobutrazol           | 0.0190 | 5.0 | 100.00   | ND     | Pass   |
| Chlorpyrifos        | 0.0270 | 5.0 | 100.00   | ND     | Pass   | Pentachloronitrobenzene | 0.0160 | 5.0 | 200.00   | ND     | Pass   |
| Clofentezine        | 0.0120 | 5.0 | 500.00   | ND     | Pass   | Permethrin              | 0.0230 | 5.0 | 20000.00 | ND     | Pass   |
| Coumaphos           | 0.0090 | 5.0 | 100.00   | ND     | Pass   | Phosmet                 | 0.0100 | 5.0 | 200.00   | ND     | Pass   |
| Cyfluthrin          | 0.0170 | 5.0 | 1000.00  | ND     | Pass   | Piperonyl Butoxide      | 0.0200 | 5.0 | 8000.00  | ND     | Pass   |
| Cypermethrin        | 0.0230 | 5.0 | 1000.00  | ND     | Pass   | Prallethrin             | 0.0150 | 5.0 | 4000.00  | ND     | Pass   |
| Daminozide          | 0.0100 | 5.0 | 100.00   | ND     | Pass   | Propiconazole           | 0.0100 | 5.0 | 20000.00 | ND     | Pass   |
| DDVP                | 0.0120 | 5.0 | 100.00   | ND     | Pass   | Pyrethrins              | 0.0100 | 5.0 | 1000.00  | ND     | Pass   |
| Diazinon            | 0.0050 | 5.0 | 200.00   | ND     | Pass   | Pyridaben               | 0.0240 | 5.0 | 3000.00  | ND     | Pass   |
| Dimethoate          | 0.0090 | 5.0 | 100.00   | ND     | Pass   | Spinetoram              | 0.0190 | 5.0 | 3000.00  | ND     | Pass   |
| Dimethomorph        | 0.0140 | 5.0 | 20000.00 | ND     | Pass   | Spinosad                | 0.0150 | 5.0 | 3000.00  | ND     | Pass   |
| Ethoprophos         | 0.0160 | 5.0 | 100.00   | ND     | Pass   | Spiromesifen            | 0.0190 | 5.0 | 12000.00 | ND     | Pass   |
| Etofenprox          | 0.0270 | 5.0 | 100.00   | ND     | Pass   | Spirotetramat           | 0.0130 | 5.0 | 13000.00 | ND     | Pass   |
| Etoxazole           | 0.0200 | 5.0 | 1500.00  | ND     | Pass   | Spiroxamine             | 0.0110 | 5.0 | 100.00   | ND     | Pass   |
| Fenhexamid          | 0.0250 | 5.0 | 10000.00 | ND     | Pass   | Tebuconazole            | 0.0230 | 5.0 | 2000.00  | ND     | Pass   |
| Fenoxycarb          | 0.0160 | 5.0 | 100.00   | ND     | Pass   | Thiacloprid             | 0.0120 | 5.0 | 100.00   | ND     | Pass   |
| Fenpyroximate       | 0.0290 | 5.0 | 2000.00  | ND     | Pass   | Thiamethoxam            | 0.0080 | 5.0 | 4500.00  | ND     | Pass   |
| Fipronil            | 0.0190 | 5.0 | 100.00   | ND     | Pass   | Trifloxystrobin         | 0.0230 | 5.0 | 30000.00 | ND     | Pass   |
| Flonicamid          | 0.0130 | 5.0 | 2000.00  | ND     | Pass   |                         |        |     |          |        |        |

Entered by: 020

Instrument ID 1: LCMS-1

Instrument ID 2: 0

Date Tested (LC): 03/10/2026

Date Tested (GC):

LOD= Limit of Detection, LOQ = Limit of Quantitation, ND = Not Detected. Pesticides analyzed per CT-SOP-008.




Ryan Picard  
Lab Director  
03/10/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

## 260305-VA-RR-BRLY-20ct-FG

BioTrack Lot ID: 8106036060844657

**Sample ID: 2603ANSCT0265-1889** Completed: 03/10/2026

Strain: Expiration: 03/10/2027

Ingestible, Soft Chew, , , ,

Client

**Connecticut Contract Manufacturing**

Lic. # ACFB.0001847

1244 Old Clinton Rd

Westbrook, CT 06498

Sample Size: 3 units

COC #: 2603ANSCT0265; Number of Servings: ; Sample Condition: Intact;

### Microbials

Pass

| Analyte                       | Limit              | Results      | Qualifiers | Status |
|-------------------------------|--------------------|--------------|------------|--------|
|                               | CFU/g              | CFU/g        |            |        |
| Total Viable Aerobic Bacteria | 100000             | <100         |            | Pass   |
| Total Yeast & Mold            | 100000             | <100         |            | Pass   |
| E. coli                       | Not Detected in 1g | Not Detected |            | Pass   |
| Listeria monocytogenes        | Not Detected in 1g | Not Detected |            | Pass   |
| Salmonella                    | Not Detected in 1g | Not Detected |            | Pass   |
| Shiga Toxin E. Coli           | Not Detected in 1g | Not Detected |            | Pass   |

Entered by: 008/009/017

Instrument ID: PCR-1

Date Tested: 03/05/2026

Plating of Total Aerobic bacteria, Bile-Tolerant Gram-negative bacteria, Total Coliforms, Total Yeast & Mold and Listeria are analyzed per CT-SOP-006. Shiga Toxin-Producing Escherichia coli and Salmonella spp. are analyzed per CT-SOP-007. Aspergillus spp. are analyzed per CT-SOP-014. Viruses are analyzed per SOP-013, and not ISO accredited. NR = Not Reported, NT = Not Tested, TNTC = Too Numerous To Count.

### Mycotoxins

Pass

| Analyte      | LOD   | LOQ   | Limit | Results | Qualifiers | Status |
|--------------|-------|-------|-------|---------|------------|--------|
|              | ug/kg | ug/kg | ug/kg | ug/kg   |            |        |
| B1           | 0.0   | 1.0   | 20.0  | ND      |            | Pass   |
| B2           | 0.0   | 1.0   | 20.0  | ND      |            | Pass   |
| G1           | 0.0   | 1.0   | 20.0  | ND      |            | Pass   |
| G2           | 0.0   | 1.0   | 20.0  | ND      |            | Pass   |
| Ochratoxin A | 0.0   | 1.0   | 20.0  | ND      |            | Pass   |

Entered by: 020

Instrument ID: LCMS-1

Date Tested: 03/05/2026

LOD = Limit of Detection, LOQ = Limit of Quantitation. Mycotoxins analyzed per CT-SOP-008.

### Heavy Metals

Pass

| Analyte  | LOD   | LOQ   | Limit    | Results | Qualifiers | Status |
|----------|-------|-------|----------|---------|------------|--------|
|          | ug/kg | ug/kg | ug/kg    | ug/kg   |            |        |
| Arsenic  | 0.236 | 0.500 | 500.000  | ND      |            | Pass   |
| Cadmium  | 0.115 | 0.500 | 1500.000 | ND      |            | Pass   |
| Chromium | 0.216 | 1.000 | 2000.000 | ND      |            | Pass   |
| Lead     | 0.088 | 1.000 | 3000.000 | ND      |            | Pass   |
| Mercury  | 0.188 | 0.250 | 500.000  | ND      |            | Pass   |

Entered by: 015

Instrument ID: ICPMS-2

Date Tested: 03/05/2026

LOD = Limit of Detection, LOQ = Limit of Quantitation. Heavy Metals analyzed per CT-SOP-005




Ryan Picard  
Lab Director  
03/10/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



## 260305-VA-RR-BRLY-20ct-FG

BioTrack Lot ID: 8106036060844657

**Sample ID: 2603ANSCT0265-1889** Completed: 03/10/2026

Strain: Expiration: 03/10/2027

Ingestible, Soft Chew, , , ,

Client

**Connecticut Contract Manufacturing**

Lic. # ACFB.0001847

1244 Old Clinton Rd

Westbrook, CT 06498

Sample Size: 3 units

COC #: 2603ANSCT0265; Number of Servings: ; Sample Condition: Intact;

### Residual Solvents

Pass

| Analyte                 | LOQ<br>PPM | Limit<br>PPM | Results<br>PPM | Status | Qualifiers |
|-------------------------|------------|--------------|----------------|--------|------------|
| Acetone                 | 50.000     | 1000.000     | ND             | Pass   |            |
| Ethanol                 | 50.000     | 5000.000     | ND             | Pass   |            |
| Ethyl-Acetate           | 50.000     | 1000.000     | ND             | Pass   |            |
| Ethyl-Ether             | 50.000     | 1000.000     | ND             | Pass   |            |
| Ethyl-Formate           | 50.000     | 1000.000     | ND             | Pass   |            |
| Heptane                 | 50.000     | 1000.000     | ND             | Pass   |            |
| Isobutane               | 50.000     | 1000.000     | ND             | Pass   |            |
| Isobutyl-Acetate        | 50.000     | 1000.000     | ND             | Pass   |            |
| Isopropyl-Acetate       | 50.000     | 1000.000     | ND             | Pass   |            |
| n-Butane                | 50.000     | 1000.000     | ND             | Pass   |            |
| n-Pentane               | 50.000     | 1000.000     | ND             | Pass   |            |
| Propane                 | 50.000     | 1000.000     | ND             | Pass   |            |
| Tert-Butyl-Methyl-Ether | 50.000     | 1000.000     | ND             | Pass   |            |

Entered by: 019

Instrument ID: GC-1

Date Tested: 03/05/2026

LOQ = Limit of Quantitation, ND = Not Detected. Residual Solvents analyzed per CT-SOP-011, Acetonitrile, Methanol, Toluene, Xylene, Hexane outside of ISO scope.




Ryan Picard  
 Lab Director  
 03/10/2026

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.