



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

**CHILD CARE CENTER/GROUP CHILD CARE HOME
 FOLLOW UP – PARTIAL INSPECTION**

Program Name	FRIENDS CENTER FOR CHILDREN				License Number	DCCC.70792		Date of Inspection	03/26/2026		
					Expiration Date	11/30/2028		Time of Inspection	10:49 AM		
Address	25 FLINT ST NEW HAVEN CT 06513				Telephone	(203) 468-1966		Licensed Capacity	40		
					Hours of Operation	7:30 AM – 5:30 PM		Under Three Capacity	40		
Is this a Change of Address?	Yes?		No?	X	Days of Operation	Mon-Fri		Ages Served	6 – 3 weeks – years		
New Address					Night Hours	No	Summer Hours	Open	Weekend Hours	No	
					Program's Email	info@friendscenterforchildren.org					
Operator	FRIENDS CENTER FOR CHILDREN INC				Director	KATHERINE FLORES,JOHANNA COLON-DAVILA					
Endorsements	Under Three				Name of Inspector	Jenn Schulz					
Numbers of Staff/Children Present	# Children Present under age 3	27	# Total Children Present	27	# of Staff Present	12	Purpose of Visit	Follow up to full inspection dated 1/30/2026- snow covered playground inspection			

REGULATIONS NOT IN COMPLIANCE

Statute and/or Regulation and Description:	[19a-79-7a(h)(1-9)]	111- Outdoor space
<p>Program not in compliance with ensuring that nuts, bolts and screws are tight, and those that protrude are covered or protected when more than 40 screw/bolt ends were observed to be exposed throughout all playgrounds, accessible to children.</p>		
Statute and/or Regulation and Description:		
Statute and/or Regulation and Description:		



Statute and/or Regulation and Description:	
Statute and/or Regulation and Description:	
Statute and/or Regulation and Description:	
Statute and/or Regulation and Description:	
Statute and/or Regulation and Description:	
REGULATIONS IN COMPLIANCE	
Statute and/or Regulation and Description:	[19a-79-7a(b)] 063- Indoor/Outdoor space inspected/approved
Statute and/or Regulation and Description:	[19a-79-7a(h)(7)-(A-C)] 112- Outdoor Protected/Fenced


Statute and/or Regulation and Description:	[19a-79-10(1)(1)]	137- Outdoor spaced fenced - 4 ft lic. after 1/1/25
Statute and/or Regulation and Description:	[19a-79-10(1)(2)]	138- Outdoor equip. dev. appropriate
Statute and/or Regulation and Description:		
Statute and/or Regulation and Description:		

DISCUSSIONS/COMMENTS

Discussion: TA provided regarding additional outdoor space. __Program would like to license the back "garden" area. Space is located along the back side of the program space. __Fire marshal approval required due to the need for /use of a gate between garden area and the facilities area including electrical, heating and garage areas. The gate will be in the pathway of the emergency evacuation area. Gate must measure 4 feet in height but does need to be in placed when children are not using the garden area. __Observed 1 metal drainage gate in the garden area, to have rust and will be accessible to the children. __Soil testing must be completed prior to license in approval.

Were Violations cited during this visit? Y or N?	Yes	NOTE: * It is the operator's responsibility to ensure compliance with all local codes and ordinances.
--	-----	--

Signature of OEC Representative			Signature of Person in Charge
Printed Name	Jenn Schulz	Johanna Colon Davila	Printed Name
2 nd OEC Representative		APPLICANTS: You <i>MAY NOT OPERATE</i> until all requirements have been met and a license has been issued by the Agency.	
Printed Name		THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.	

	Written Corrective Action Plan due by: 04/09/2026	DIVISION OF LICENSING 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552 Email: oc.licensing@ct.gov Website: www.ctoec.org
---	---	---

OEC Representative's Email: jennifer.schulz@ct.gov	CAP: https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf
---	--