



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

FAMILY CHILD CARE HOME INSPECTION

PROVIDER	ELAINE GOMES			LICENSE NUMBER	DCFH.58078	DATE OF INSPECTION	04/15/2026
				EXPIRATION DATE	10/31/2028	TIME OF INSPECTION	08:40 AM
ADDRESS	45 OLEARY DR MANCHESTER CT 06040-2611			TELEPHONE	(860) 461-9170	REGULAR CAPACITY	6
				HOURS OF OPERATION	6:00 AM - 6:30 PM	SCHOOL AGE CAPACITY	3
				DAYS OF OPERATION	Mon-Fri	SUMMER HOURS	Open
IS THIS A CHANGE OF ADDRESS?	YES	NO	NEW ADDRESS	# UNDER 18 MTHS PRESENT	3	WEEKEND HOURS	No
		X		TOTAL CHILDREN PRESENT	7	NIGHT HOURS	No
TYPE OF INSPECTION	UNANNOUNCED INSPECTION - FULL			INSPECTOR'S NAME	Jenny Ferreira		
PROVIDER'S EMAIL	Elaine_Ferreras@hotmail.com			INSPECTOR'S EMAIL	jenny.ferreira@ct.gov		
KEY:	<i>Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h)</i>						
COMPLIANT = X							
NON-COMPLIANT = O							

Signature of Provider/Substitute/Applicant

TERMS OF THE LICENSE 19a-87b-5

X	4. 5(d)(10(a)) CAPACITY	
X	5. 5(c) NON-TRANSFERABILITY OF LICENSE	Pending?
O	6. 5(e) INFANT/TODDLER RESTRICTION	Provider not in compliance with maintaining the infant/toddler restriction when observed three (3) Infants and one staff present. Substitute arrived during this visit.
X	7. 5(f)(2) LICENSE POSTED	
X	8. 5(g) PARENT ACCESS TO OEC PHONE NUMBER	
X	9. 5(h) PHOTO ID	
X	10. 5(i) REQUESTS FOR INFORMATION	
O	11. 5(j) NOTIFICATION OF CHANGE	Provider not in compliance with notifying the Office of the addition of any household member when observed a new household member (three months baby) not previously reported.

QUALIFICATION OF PROVIDER 19a-87b-6

X	12. 6(a) AWARENESS OF, UNDERSTANDING OF REGULATIONS	
X	13. 6(b) MEDICAL STATEMENT	
	EXPIRATION DATE:	04/17/2028

X	14. 6(c)(1) FIRST AID CERTIFICATE	
	EXPIRATION DATE: 06/30/2026	
X	15. 6(c)(2) CPR CERTIFICATE	
	EXPIRATION DATE: 06/30/2026	
O	16. 6(e) JUDGMENT	Provider not in compliance with demonstrating good judgment when observed provider caregiving three infants without any approved staff present.

MEMBERS OF THE HOUSEHOLD 19a-87b-7

X	17. 7(a) MEDICAL STATEMENT	
X	18. 7(b) HOUSEHOLD ENVIRONMENT	

QUALIFICATIONS OF STAFF 19a-87b-8

X	19. 8(a)-(b) SUBSTITUTE - ASSISTANT	Y/N	NAME:	Dilantin Tejada	Appvl #	92977
	PRESENT AT VISIT?	Y	NAME:		Appvl #	
	N					
X	20. 8(c) EMERGENCY CAREGIVER					

COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a

X	21. 8a(a)-(f) BACKGROUND CHECK(S)	
----------	--	--

PHYSICAL ENVIRONMENT 19a-87b-9

X	22. 9(a) CLEAN/SANITARY ENVIRONMENT	
X	23. 9(b) FREEDOM OF HAZARDS	
X	24. 9(c) HARMFUL SUBSTANCES and MATERIALS INACCESSIBLE	
X	25. 9(c) BIO- CONTAMINANTS DISPOSED SAFELY	
X	26. 9(d)(1) SAFE STORAGE OF FLAMMABLES	
X	27. 9(d)(2) SAFE DOOR FASTENERS	
X	28. 9(d)(3) ELECTRICAL SAFETY	

X	29. 9(d)(4)-(A) SAFE EXITS		
X	30. 9(d)(4)(A)	Y/N	
	BASEMENT SUPERVISION	Y	
	USED FOR CARE ?	Y/N N	
X	31. 9(d)(4)(D) STAIRWAYS - PROTECTED, HANDRAILS		
X	32. 9(d)(4)(E)-(5) EMERGENCY PLAN		
X	33. 9(d)(5) EMERGENCY EVACUATION DRILLS - QUARTERLY/LOG		
X	34. 9(d)(6) SMOKE DETECTORS		
X	35. 9(d)(7) CARBON MONOXIDE DETECTOR		
X	36. 9(d)(8) FIRE EXTINGUISHER- 5 LB. ABC/INSTALLED		
X	37. 9(d)(9) N/A? Y	TYPE:	APPROVED?
	AUXILIARY HEATING SYSTEM		
X	38. 9(e) SAFE STORAGE OF WEAPONS AND AMMUNITION		
X	39. 9(f)(1)-(2) SAFE SPACE- SUFFICIENT		
	INDOORS OUTDOORS Yes Yes		
X	40. 9(f)(2) N/A?	TYPE:	BARRIER:
	BODY OF WATER- 4 FT. STURDY FENCE OR BARRIER-LOCKED		
X	41. 9(f)(3) N/A? Y HOT TUBS- LOCKED -INACCESSIBLE		
X	42. 9(g) VENTILATION, LIGHT AND TEMPERATURE- 65°		
X	43. 9(g) WINDOW SAFETY		
X	44. 9(h) WASHING TOILETING, SEWAGE GARBAGE FACILITIES		
X	45. 9(i) ADEQUATE AND SAFE WATER -		
	TYPE OF SYSTEM: Public Water		
X	46. 9(h) WATER TEMPERATURE- 60°-120°		

X	47. 9(i) PASTEURIZATION OF MILK SUPPLY	
X	48. 9(k) WORKING PHONE, EMERGENCY NUMBERS POSTED	
X	49. 9(l) SAFE TRANSPORTATION REGISTERED, INSURED, RESTRAINTS	
X	50. 9(m)-(n) FIRST AID KIT and SUPPLIES	
X	51. 9(o) PET PROTECTION	TYPE of PETS:
	PETS? Y/N N	
	RABIES CERTS? Y/N	
X	52. 9(p) Smoking Prohibited	

RESPONSIBILITIES OF PROVIDER 19a-87b-10

X	53. 10(b)(1) ENROLLMENT FORM	
X	54. 10(b)(2) CHILD HEALTH RECORD	
X	55. 10(b)(2)(v)(I) IMMUNIZATIONS	
X	56. 10(b)(3)(B) EMERGENCY PERMISSION	
X	57. 10(b)(3)(A) AUTHORIZED RELEASE	
X	58. 10(b)(3)(C)-(D)-(F) FIELD TRIP AND TRANSPORTATION PERMISSION- TO/FROM SCHOOL	
X	59. 10(b)(3)(E) SWIMMING PERMISSION	
X	60.10(b)(4) INCIDENT LOG	
X	61. 10(b)(5) CONFIDENTIALITY	
X	62. 10(c) MEETING THE CHILD'S NEEDS	
X	63.10(c)(1) SUFFICIENT PLAY EQUIPMENT	

X	64. 10(c)(2) GOOD NUTRITION- MEALS/SNACKS, WATER AVAILABLE	
X	65. 10(c)(3) HANDWASHING	
X	66. 10(c)(4) FLEXIBLE AND BALANCED WRITTEN SCHEDULE	
X	67. 10(c)(6) PERSONAL ARTICLES- BLANKET, TOWEL, TOILET ARTICLES	
X	68. 10(c)(5) PROPER REST PROVISIONS – SAFE CRIBS	
X	69. 10(d) INDIVIDUAL PLAN FOR CARE	
X	70. 10(d)(1-2) CULTURAL DIFFERENCES, SP. NEEDS, DEV. APPR. ACTIVITIES	
X	71. 10(e) INFANT CARE, INDIV ATTENTION, HELD FOR BOTTLE FEEDINGS	
X	72. 10(f)(1) INFANTS PLACED ON BACK FOR SLEEPING	
X	73. 10(f)(1) INFANTS PLACED IN CRIB, WELL CONSTRUCTED, SNUG MATTRESS, TIGHT SHEET	
X	74. 10(f)(3)-(4)/(7) CRIB OR OTHER PROVISION FREE FROM OBSERVABLE HAZARDS	
X	75. 10(f)(5) INFANTS NOT SWADDLED	
X	76. 10(f)(6) INFANTS SUPERVISED – MINIMUM EVERY 15 MINUTES	
X	77. 10(f)(8) REQ. FOR SLEEP ARRANGEMENTS POSTED/DISCUSSED	
X	78. 10(g) DIAPER CHANGING- FREQUENT, SANITARY, HANDWASHING, WASTE DISPOSAL	
X	79. 10(h)(1)-(9)-(11) PARENT INFORMATION AND ACCESS	
X	80. 10(h)(10) DEVELOPMENTAL MILESTONES – POSTED	

X	81. 10(i) SUPERVISION- AT ALL TIMES, INDOORS and OUTDOORS	
X	82. 10(i)(1) PERSONAL SCHEDULE- ALERT, COMPETENT ATTENTION	
X	83. 10(i)(2) FULL ATTENTION - DISTRACTIONS, EMPLOYMENT, SOCIALIZATION	
X	84. 10(i)(3) IMMEDIATE ATTENTION	
X	85. 10(i)(4) SUBSTITUTE – EMERGENCY CAREGIVER PRESENT	
X	86. 10(j) APPR. DISCIPLINE, BEHAVIOR MANAGEMENT	
X	87. 10(j)(2) DISCUSS BEH. MANAGEMENT METHODS W/STAFF AND PARENTS	
X	88. 10(k)(1) CHILD PROTECTION- ABUSE/NEGLECT	
X	89. 10(k)(2)(A-B) NOTIFY OEC WITHIN 24 HRS. - DEATH OR SERIOUS INJURY	
X	90. 10(k)(3) MANDATED REPORTING ABUSE OR NEGLECT TO DCF	

SICK CHILD CARE 19a-87b-11

X	91. 11(a)(1)-(3) SICK CHILD CARE	
----------	--	--

NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N

	92. 12(a)(1)-(3) SEPARATE BED- LOCATION OF BED - APPROPRIATE SLEEPWEAR	
--	---	--

OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13

X	93. 13(a)-(f) ACCESS- IMMEDIATE, ENTIRE OR PART OF FACILITY AND RECORDS	
----------	--	--

ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N

X	94. 17 POLICIES AND PROCEDURES FOR ADMIN OF MEDS	
X	95. (a)(2) PARENT PERMISSION FOR NONPRESCRIPTION TOPICAL MEDS	
X	96. (a)(2)(b)(3)(D) NOTIFICATION - DOCUMENTATION OF MED ERROR(S)	
X	97. (a)(3) NONPRESCRIPTION TOPICAL MEDS- STORED/LABELED	
X	98. (a)(3)(C) UNUSED -EXPIRED NONPRESCRIPTION MEDS	
X	99. (b)(1)(2) DOCUMENTED MEDICATION TRAINED STAFF	
X	100. (b)(3) WRITTEN AUTH PRESCRIBER, PARENT PERMISSION	
X	101. (b)(4)(A-B) MAR MAINTAINED	
X	102. (b)(5)(A-B) PRESCRIPTION MEDS – STORED/LABELED	
X	103. (b)(5)(D) UNUSED/EXPIRED PRESCRIPTION MEDS	
X	104. (b)(5)(C)(E) EMERGENCY MEDS- EQUIPMENT LABELED/CURRENT	
X	105. (b)(6) SELF – ADMIN. OF MEDS	
X	106. (b)(7) PETITION FOR SPECIAL MEDICATION AUTHORIZATION	
X	107. (d) POTASSIUM IODIDE (KI)	
	N/A	

MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N

X	108. (a) POLICIES FOR FINGER STICK BLOOD GLUCOSE TESTING	
X	109. (b) FINGER STICK BLOOD GLUCOSE TESTING - STAFF TRAINED	

X	110. (c)(3) SELF ADMIN OF FINGER STICK BLOOD GLUCOSE TESTING	
X	111. (d) TESTING EQUIP. & SUPPLIES- MAINTAIN, LABELED, LOCKED, DISPOSED	
X	112. (e)(1-2) FINGER STICK BLOOD GLUCOSE TESTING RECORDS	
X	113. (e)(3) PARENT NOTIFICATION OF TEST RESULTS	

ADDITIONAL VIOLATIONS

	114. CONSENT ORDER - NEGOTIATED CORRECTIVE ACTION PLAN	N/A?	
		Y	



WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?	Yes	LEVEL OF NON-COMPLIANCE THIS VISIT:	3 out of 110
---	-----	-------------------------------------	--------------


DISCUSSIONS/COMMENTS

Discussed: Water slider for the use of the household member, must be installed according to the regulation. Per provider, water slider to be used only when program is closed. Kitchen and living room approved at this visit for the use of the program. Kitchen to transit to the backyard and living room for infant nap time. Entire first floor approved except for provider child's bedroom on the left of the hallway. Full inspection and exit interview conducted in Spanish.

IMPORTANT NOTES

* It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
 * Only the regulations marked as compliant or non-compliant were monitored or discussed.

Signature of OEC Representative			Signature of Provider/ Substitute
Printed Name	Jenny Ferreira	ELAINE GOMES	Printed Name
2 nd OEC Representative		APPLICANTS: You <i>MAY NOT OPERATE</i> until all requirements have been met and a license has been issued by the Agency.	
Printed Name		THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.	

	Written Corrective Action Plan due by: 04/29/2026	DIVISION OF LICENSING 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552 Email: oc.licensing@ct.gov Website: www.ctoec.org
OEC Representative's Email: jenny.ferreira@ct.gov		CAP: https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf