



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oc.licensing@ct.gov](mailto:oc.licensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

**FAMILY CHILD CARE HOME INSPECTION**

<b>PROVIDER</b>	<b>JACQUELINE ALMANZAR</b>			<b>LICENSE NUMBER</b>	<b>DCFH.55356</b>	<b>DATE OF INSPECTION</b>	<b>04/22/2026</b>
				<b>EXPIRATION DATE</b>	<b>5/31/2026</b>	<b>TIME OF INSPECTION</b>	<b>11:30 AM</b>
<b>ADDRESS</b>	<b>36 WEST AVENUE- 1ST FLOOR STAMFORD  CT 06902</b>			<b>TELEPHONE</b>	<b>(203) 548-1774</b>	<b>REGULAR CAPACITY</b>	<b>6</b>
				<b>HOURS OF OPERATION</b>	<b>7:00 AM - 7:00 PM</b>	<b>SCHOOL AGE CAPACITY</b>	<b>3</b>
				<b>DAYS OF OPERATION</b>	<b>Mon-Fri</b>	<b>SUMMER HOURS</b>	<b>Open</b>
<b>IS THIS A CHANGE OF ADDRESS?</b>	<b>YES</b>	<b>NO</b>	<b>NEW ADDRESS</b>	<b># UNDER 18 MTHS PRESENT</b>	<b>0</b>	<b>WEEKEND HOURS</b>	<b>No</b>
		<b>X</b>		<b>TOTAL CHILDREN PRESENT</b>	<b>1</b>	<b>NIGHT HOURS</b>	<b>No</b>
<b>TYPE OF INSPECTION</b>	<b>UNANNOUNCED INSPECTION - FULL</b>			<b>INSPECTOR'S NAME</b>	<b>Jenny Ferreira</b>		
<b>PROVIDER'S EMAIL</b>	<b>aquarellelearning@gmail.com</b>			<b>INSPECTOR'S EMAIL</b>	<b>jenny.ferreira@ct.gov</b>		
<b>KEY:</b>	<i>Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h)</i>						
<b>COMPLIANT = X</b>	<i>Jacqueline A</i> Signature of Provider/Substitute/Applicant						
<b>NON-COMPLIANT = O</b>							

**TERMS OF THE LICENSE 19a-87b-5**

<b>X</b>	<b>4. 5(d)(10(a)) CAPACITY</b>	
<b>X</b>	<b>5. 5(c) NON-TRANSFERABILITY OF LICENSE</b>	Pending?
<b>X</b>	<b>6. 5(e) INFANT/TODDLER RESTRICTION</b>	
<b>X</b>	<b>7. 5(f)(2) LICENSE POSTED</b>	
<b>X</b>	<b>8. 5(g) PARENT ACCESS TO OEC PHONE NUMBER</b>	
<b>X</b>	<b>9. 5(h) PHOTO ID</b>	
<b>X</b>	<b>10. 5(i) REQUESTS FOR INFORMATION</b>	
<b>X</b>	<b>11. 5(j) NOTIFICATION OF CHANGE</b>	

**QUALIFICATION OF PROVIDER 19a-87b-6**

<b>X</b>	<b>12. 6(a) AWARENESS OF, UNDERSTANDING OF REGULATIONS</b>	
<b>X</b>	<b>13. 6(b) MEDICAL STATEMENT</b>	
	<b>EXPIRATION DATE:</b> <b>07/10/2028</b>	

<b>X</b>	<b>14. 6(c)(1)</b> <b>FIRST AID</b> <b>CERTIFICATE</b>	
	<b>EXPIRATION DATE:</b> 05/13/2026	
<b>X</b>	<b>15. 6(c)(2)</b> <b>CPR CERTIFICATE</b>	
	<b>EXPIRATION DATE:</b> 05/13/2026	
<b>X</b>	<b>16. 6(e)</b> <b>JUDGMENT</b>	

**MEMBERS OF THE HOUSEHOLD 19a-87b-7**

<b>X</b>	<b>17. 7(a)</b> <b>MEDICAL</b> <b>STATEMENT</b>	
<b>X</b>	<b>18. 7(b)</b> <b>HOUSEHOLD</b> <b>ENVIRONMENT</b>	

**QUALIFICATIONS OF STAFF 19a-87b-8**

<b>X</b>	<b>19. 8(a)-(b)</b> <b>SUBSTITUTE -</b> <b>ASSISTANT</b>	<b>Y/N</b>	<b>NAME:</b>		<b>Appvl #</b>	
		<b>N</b>	<b>NAME:</b>		<b>Appvl #</b>	
	<b>PRESENT AT VISIT?</b>					
	<b>N</b>					
<b>X</b>	<b>20. 8(c)</b> <b>EMERGENCY</b> <b>CAREGIVER</b>					

**COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a**

<b>X</b>	<b>21. 8a(a)-(f)</b> <b>BACKGROUND</b> <b>CHECK(S)</b>	
----------	--	--

**PHYSICAL ENVIRONMENT 19a-87b-9**

<b>X</b>	<b>22. 9(a)</b> <b>CLEAN/SANITARY</b> <b>ENVIRONMENT</b>	
<b>X</b>	<b>23. 9(b)</b> <b>FREEDOM OF</b> <b>HAZARDS</b>	
<b>X</b>	<b>24. 9(c)</b> <b>HARMFUL</b> <b>SUBSTANCES and</b> <b>MATERIALS</b> <b>INACCESSIBLE</b>	
<b>X</b>	<b>25. 9(c)</b> <b>BIO-</b> <b>CONTAMINANTS</b> <b>DISPOSED SAFELY</b>	
<b>X</b>	<b>26. 9(d)(1)</b> <b>SAFE STORAGE</b> <b>OF FLAMMABLES</b>	
<b>X</b>	<b>27. 9(d)(2)</b> <b>SAFE DOOR</b> <b>FASTENERS</b>	
<b>X</b>	<b>28. 9(d)(3)</b> <b>ELECTRICAL</b> <b>SAFETY</b>	

<b>X</b>	<b>29. 9(d)(4)-(A)</b> <b>SAFE EXITS</b>		
<b>X</b>	<b>30. 9(d)(4)(A)</b>	<b>Y/N</b>	
	<b>BASEMENT SUPERVISION</b>	<b>Y</b>	
	<b>USED FOR CARE ?</b>	<b>Y/N</b> <b>N</b>	
<b>X</b>	<b>31. 9(d)(4)(D)</b> <b>STAIRWAYS - PROTECTED, HANDRAILS</b>		
<b>X</b>	<b>32. 9(d)(4)(E)-(5)</b> <b>EMERGENCY PLAN</b>		
<b>X</b>	<b>33. 9(d)(5)</b> <b>EMERGENCY EVACUATION DRILLS - QUARTERLY/LOG</b>		
<b>X</b>	<b>34. 9(d)(6)</b> <b>SMOKE DETECTORS</b>		
<b>X</b>	<b>35. 9(d)(7)</b> <b>CARBON MONOXIDE DETECTOR</b>		
<b>X</b>	<b>36. 9(d)(8)</b> <b>FIRE EXTINGUISHER- 5 LB. ABC/INSTALLED</b>		
<b>X</b>	<b>37. 9(d)(9)</b> N/A? <b>Y</b>	<b>TYPE:</b>	<b>APPROVED?</b>
	<b>AUXILIARY HEATING SYSTEM</b>		
<b>X</b>	<b>38. 9(e)</b> <b>SAFE STORAGE OF WEAPONS AND AMMUNITION</b>		
<b>X</b>	<b>39. 9(f)(1)-(2)</b> <b>SAFE SPACE- SUFFICIENT</b>		
	<b>INDOORS</b>   <b>OUTDOORS</b> Yes   Yes		
<b>X</b>	<b>40. 9(f)(2)</b> N/A? <b>Y</b>	<b>TYPE:</b>	<b>BARRIER:</b>
	<b>BODY OF WATER- 4 FT. STURDY FENCE OR BARRIER-LOCKED</b>		
<b>X</b>	<b>41. 9(f)(3)</b> N/A? <b>Y</b> <b>HOT TUBS- LOCKED -INACCESSIBLE</b>		
<b>X</b>	<b>42. 9(g)</b> <b>VENTILATION, LIGHT AND TEMPERATURE- 65°</b>		
<b>X</b>	<b>43. 9(g)</b> <b>WINDOW SAFETY</b>		
<b>X</b>	<b>44. 9(h)</b> <b>WASHING TOILETING, SEWAGE GARBAGE FACILITIES</b>		
<b>X</b>	<b>45. 9(i)</b> <b>ADEQUATE AND SAFE WATER -</b>		
	<b>TYPE OF SYSTEM:</b> <b>Public Water</b>		
<b>X</b>	<b>46. 9(h)</b> <b>WATER TEMPERATURE- 60°-120°</b>		

<b>X</b>	<b>47. 9(j)</b> <b>PASTEURIZATION OF MILK SUPPLY</b>	
<b>X</b>	<b>48. 9(k)</b> <b>WORKING PHONE, EMERGENCY NUMBERS POSTED</b>	
<b>X</b>	<b>49. 9(l)</b> <b>SAFE TRANSPORTATION REGISTERED, INSURED, RESTRAINTS</b>	
<b>X</b>	<b>50. 9(m)-(n)</b> <b>FIRST AID KIT and SUPPLIES</b>	
<b>X</b>	<b>51. 9(o)</b> <b>PET PROTECTION</b>	TYPE of PETS:
	PETS? Y/N Y	
	RABIES CERTS? Y/N	
<b>X</b>	<b>52. 9(p)</b> <b>Smoking Prohibited</b>	

**RESPONSIBILITIES OF PROVIDER 19a-87b-10**

<b>X</b>	<b>53. 10(b)(1)</b> <b>ENROLLMENT FORM</b>	
<b>X</b>	<b>54. 10(b)(2)</b> <b>CHILD HEALTH RECORD</b>	
<b>X</b>	<b>55. 10(b)(2)(v)(I)</b> <b>IMMUNIZATIONS</b>	
<b>X</b>	<b>56. 10(b)(3)(B)</b> <b>EMERGENCY PERMISSION</b>	
<b>X</b>	<b>57. 10(b)(3)(A)</b> <b>AUTHORIZED RELEASE</b>	
<b>X</b>	<b>58. 10(b)(3)(C)-(D)-(F)</b> <b>FIELD TRIP AND TRANSPORTATION PERMISSION- TO/FROM SCHOOL</b>	
<b>X</b>	<b>59. 10(b)(3)(E)</b> <b>SWIMMING PERMISSION</b>	
<b>X</b>	<b>60.10(b)(4)</b> <b>INCIDENT LOG</b>	
<b>X</b>	<b>61. 10(b)(5)</b> <b>CONFIDENTIALITY</b>	
<b>X</b>	<b>62. 10(c)</b> <b>MEETING THE CHILD'S NEEDS</b>	
<b>X</b>	<b>63.10(c)(1)</b> <b>SUFFICIENT PLAY EQUIPMENT</b>	

<b>X</b>	<b>64. 10(c)(2)</b> <b>GOOD NUTRITION- MEALS/SNACKS, WATER AVAILABLE</b>	
<b>X</b>	<b>65. 10(c)(3)</b> <b>HANDWASHING</b>	
<b>X</b>	<b>66. 10(c)(4)</b> <b>FLEXIBLE AND BALANCED WRITTEN SCHEDULE</b>	
<b>X</b>	<b>67. 10(c)(6)</b> <b>PERSONAL ARTICLES- BLANKET, TOWEL, TOILET ARTICLES</b>	
<b>X</b>	<b>68. 10(c)(5)</b> <b>PROPER REST PROVISIONS – SAFE CRIBS</b>	
<b>X</b>	<b>69. 10(d)</b> <b>INDIVIDUAL PLAN FOR CARE</b>	
<b>X</b>	<b>70. 10(d)(1-2)</b> <b>CULTURAL DIFFERENCES, SP. NEEDS, DEV. APPR. ACTIVITIES</b>	
<b>X</b>	<b>71. 10(e)</b> <b>INFANT CARE, INDIV ATTENTION, HELD FOR BOTTLE FEEDINGS</b>	
<b>X</b>	<b>72. 10(f)(1)</b> <b>INFANTS PLACED ON BACK FOR SLEEPING</b>	
<b>X</b>	<b>73. 10(f)(1)</b> <b>INFANTS PLACED IN CRIB, WELL CONSTRUCTED, SNUG MATTRESS, TIGHT SHEET</b>	
<b>X</b>	<b>74. 10(f)(3)-(4)/(7)</b> <b>CRIB OR OTHER PROVISION FREE FROM OBSERVABLE HAZARDS</b>	
<b>X</b>	<b>75. 10(f)(5)</b> <b>INFANTS NOT SWADDLED</b>	
<b>X</b>	<b>76. 10(f)(6)</b> <b>INFANTS SUPERVISED – MINIMUM EVERY 15 MINUTES</b>	
<b>X</b>	<b>77. 10(f)(8)</b> <b>REQ. FOR SLEEP ARRANGEMENTS POSTED/DISCUSSED</b>	
<b>X</b>	<b>78. 10(g)</b> <b>DIAPER CHANGING- FREQUENT, SANITARY, HANDWASHING, WASTE DISPOSAL</b>	
<b>X</b>	<b>79. 10(h)(1)-(9)-(11)</b> <b>PARENT INFORMATION AND ACCESS</b>	
<b>X</b>	<b>80. 10(h)(10)</b> <b>DEVELOPMENTAL MILESTONES – POSTED</b>	

<b>X</b>	<b>81. 10(i)</b> SUPERVISION- AT ALL TIMES, INDOORS and OUTDOORS	
<b>X</b>	<b>82. 10(i)(1)</b> PERSONAL SCHEDULE- ALERT, COMPETENT ATTENTION	
<b>X</b>	<b>83. 10(i)(2)</b> FULL ATTENTION - DISTRACTIONS, EMPLOYMENT, SOCIALIZATION	
<b>X</b>	<b>84. 10(i)(3)</b> IMMEDIATE ATTENTION	
<b>X</b>	<b>85. 10(i)(4)</b> SUBSTITUTE – EMERGENCY CAREGIVER PRESENT	
<b>X</b>	<b>86. 10(j)</b> APPR. DISCIPLINE, BEHAVIOR MANAGEMENT	
<b>X</b>	<b>87. 10(j)(2)</b> DISCUSS BEH. MANAGEMENT METHODS W/STAFF AND PARENTS	
<b>X</b>	<b>88. 10(k)(1)</b> CHILD PROTECTION- ABUSE/NEGLECT	
<b>X</b>	<b>89. 10(k)(2)(A-B)</b> NOTIFY OEC WITHIN 24 HRS. - DEATH OR SERIOUS INJURY	
<b>X</b>	<b>90. 10(k)(3)</b> MANDATED REPORTING ABUSE OR NEGLECT TO DCF	

**SICK CHILD CARE 19a-87b-11**

<b>X</b>	<b>91. 11(a)(1)-(3)</b> SICK CHILD CARE	
----------	--	--

**NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N**

	<b>92. 12(a)(1)-(3)</b> SEPARATE BED- LOCATION OF BED - APPROPRIATE SLEEPWEAR	
--	---	--

**OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13**

<b>X</b>	<b>93. 13(a)-(f)</b> ACCESS- IMMEDIATE, ENTIRE OR PART OF FACILITY AND RECORDS	
----------	--	--

**ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N**

<b>X</b>	<b>94. 17 POLICIES AND PROCEDURES FOR ADMIN OF MEDS</b>	
<b>X</b>	<b>95. (a)(2) PARENT PERMISSION FOR NONPRESCRIPTION TOPICAL MEDS</b>	
<b>X</b>	<b>96. (a)(2)(b)(3)(D) NOTIFICATION - DOCUMENTATION OF MED ERROR(S)</b>	
<b>X</b>	<b>97. (a)(3) NONPRESCRIPTION TOPICAL MEDS- STORED/LABELED</b>	
<b>X</b>	<b>98. (a)(3)(C) UNUSED -EXPIRED NONPRESCRIPTION MEDS</b>	
<b>X</b>	<b>99. (b)(1)(2) DOCUMENTED MEDICATION TRAINED STAFF</b>	
<b>X</b>	<b>100. (b)(3) WRITTEN AUTH PRESCRIBER, PARENT PERMISSION</b>	
<b>X</b>	<b>101. (b)(4)(A-B) MAR MAINTAINED</b>	
<b>X</b>	<b>102. (b)(5)(A-B) PRESCRIPTION MEDS - STORED/LABELED</b>	
<b>X</b>	<b>103. (b)(5)(D) UNUSED/EXPIRED PRESCRIPTION MEDS</b>	
<b>X</b>	<b>104. (b)(5)(C)(E) EMERGENCY MEDS- EQUIPMENT LABELED/CURRENT</b>	
<b>X</b>	<b>105. (b)(6) SELF - ADMIN. OF MEDS</b>	
<b>X</b>	<b>106. (b)(7) PETITION FOR SPECIAL MEDICATION AUTHORIZATION</b>	
<b>X</b>	<b>107. (d) POTASSIUM IODIDE (KI)</b>	
	N/A	

**MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N**

<b>X</b>	<b>108. (a) POLICIES FOR FINGER STICK BLOOD GLUCOSE TESTING</b>	
<b>X</b>	<b>109. (b) FINGER STICK BLOOD GLUCOSE TESTING - STAFF TRAINED</b>	

<b>X</b>	<b>110. (c)(3)</b> SELF ADMIN OF FINGER STICK BLOOD GLUCOSE TESTING	
<b>X</b>	<b>111. (d)</b> TESTING EQUIP. & SUPPLIES- MAINTAIN, LABELED, LOCKED, DISPOSED	
<b>X</b>	<b>112. (e)(1-2)</b> FINGER STICK BLOOD GLUCOSE TESTING RECORDS	
<b>X</b>	<b>113. (e)(3)</b> PARENT NOTIFICATION OF TEST RESULTS	

**ADDITIONAL VIOLATIONS**

	114. CONSENT ORDER - NEGOTIATED CORRECTIVE ACTION PLAN	N/A?	
		Y	



WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?	No	LEVEL OF NON-COMPLIANCE THIS VISIT:	0 out of 110
---	----	-------------------------------------	--------------

**DISCUSSIONS/COMMENTS**

Discussed: Water temperature is 122 degrees at the time of this inspection. Per provider, water heater tank part replaced and water temperature adjusted. Provider to reduce the water temperature today and extra supervision while children washing their hands. Only one child attending regularly and other two occasionally. Full inspection and exit interview conducted in Spanish.

**IMPORTANT NOTES**

- \* It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
- \* Only the regulations marked as compliant or non-compliant were monitored or discussed.

Signature of OEC Representative			Signature of Provider/ Substitute
Printed Name	Jenny Ferreira	JACQUELINE ALMANZAR	Printed Name
2 <sup>nd</sup> OEC Representative		<b>APPLICANTS:</b> You <i>MAY NOT OPERATE</i> until all requirements have been met and a license has been issued by the Agency.	
Printed Name		THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.	



Written Corrective Action Plan due by:

**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oc.licensing@ct.gov](mailto:oc.licensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

OEC Representative's Email: [jenny.ferreira@ct.gov](mailto:jenny.ferreira@ct.gov)

CAP: <https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf>