




**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oc.licensing@ct.gov](mailto:oc.licensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

**FAMILY CHILD CARE HOME INSPECTION**

<b>PROVIDER</b>	<b>KISHWER S ZAIDI</b>			<b>LICENSE NUMBER</b>	<b>DCFH</b>	<b>DATE OF INSPECTION</b>	<b>05/01/2026</b>
				<b>EXPIRATION DATE</b>		<b>TIME OF INSPECTION</b>	<b>09:07 AM</b>
<b>ADDRESS</b>	<b>708 N FARMS RD WALLINGFORD  CT 06492-2542</b>			<b>TELEPHONE</b>	<b>(203) 213-3414</b>	<b>REGULAR CAPACITY</b>	<b>6</b>
				<b>HOURS OF OPERATION</b>	<b>6:00 AM - 6:00 PM</b>	<b>SCHOOL AGE CAPACITY</b>	<b>3</b>
				<b>DAYS OF OPERATION</b>	<b>Mon-Fri</b>	<b>SUMMER HOURS</b>	<b>Open</b>
<b>IS THIS A CHANGE OF ADDRESS?</b>	<b>YES</b>	<b>NO</b>	<b>NEW ADDRESS</b>	<b># UNDER 18 MTHS PRESENT</b>	<b>0</b>	<b>WEEKEND HOURS</b>	<b>No</b>
		<b>X</b>		<b>TOTAL CHILDREN PRESENT</b>	<b>0</b>	<b>NIGHT HOURS</b>	<b>No</b>
<b>TYPE OF INSPECTION</b>	<b>INITIAL CREDENTIAL INSPECTION</b>			<b>INSPECTOR'S NAME</b>	<b>Rebecca LaRosa</b>		
<b>PROVIDER'S EMAIL</b>	<b>eagle6926@hotmail.com</b>			<b>INSPECTOR'S EMAIL</b>	<b>rebecca.larosa@ct.gov</b>		
<b>KEY:</b>	<i>Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h)</i>						
<b>COMPLIANT = X</b>	 <b>Signature of Provider/Substitute/Applicant</b>						
<b>NON-COMPLIANT = O</b>							

**TERMS OF THE LICENSE 19a-87b-5**

<b>X</b>	<b>4. 5(d)(10(a)) CAPACITY</b>	
<b>X</b>	<b>5. 5(c) NON-TRANSFERABILITY OF LICENSE</b>	Pending?
<b>X</b>	<b>6. 5(e) INFANT/TODDLER RESTRICTION</b>	
<b>X</b>	<b>7. 5(f)(2) LICENSE POSTED</b>	
<b>X</b>	<b>8. 5(g) PARENT ACCESS TO OEC PHONE NUMBER</b>	
<b>X</b>	<b>9. 5(h) PHOTO ID</b>	
<b>X</b>	<b>10. 5(i) REQUESTS FOR INFORMATION</b>	
<b>X</b>	<b>11. 5(j) NOTIFICATION OF CHANGE</b>	

**QUALIFICATION OF PROVIDER 19a-87b-6**

<b>X</b>	<b>12. 6(a) AWARENESS OF, UNDERSTANDING OF REGULATIONS</b>	
<b>X</b>	<b>13. 6(b) MEDICAL STATEMENT</b>	
	<b>EXPIRATION DATE:</b> <b>07/22/2028</b>	

<b>X</b>	<b>14. 6(c)(1)</b> FIRST AID CERTIFICATE	
	EXPIRATION DATE: 08/12/2027	
<b>X</b>	<b>15. 6(c)(2)</b> CPR CERTIFICATE	
	EXPIRATION DATE: 08/12/2027	
<b>X</b>	<b>16. 6(e)</b> JUDGMENT	

**MEMBERS OF THE HOUSEHOLD 19a-87b-7**

<b>X</b>	<b>17. 7(a)</b> MEDICAL STATEMENT	
<b>X</b>	<b>18. 7(b)</b> HOUSEHOLD ENVIRONMENT	

**QUALIFICATIONS OF STAFF 19a-87b-8**

<b>X</b>	<b>19. 8(a)-(b)</b> SUBSTITUTE - ASSISTANT	Y/N	NAME:		Appvl #	
		N	NAME:		Appvl #	
	PRESENT AT VISIT?					
	N					
<b>X</b>	<b>20. 8(c)</b> EMERGENCY CAREGIVER					

**COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a**

<b>X</b>	<b>21. 8a(a)-(f)</b> BACKGROUND CHECK(S)	
----------	--	--

**PHYSICAL ENVIRONMENT 19a-87b-9**

<b>X</b>	<b>22. 9(a)</b> CLEAN/SANITARY ENVIRONMENT	
<b>X</b>	<b>23. 9(b)</b> FREEDOM OF HAZARDS	
<b>O</b>	<b>24. 9(c)</b> HARMFUL SUBSTANCES and MATERIALS INACCESSIBLE	Provider not in compliance with ensuring harmful substances and materials are inaccessible to children when there were no locks under the kitchen cabinets or single cabinet that contained cleaning chemicals, knives, plastic bags and multiple junk drawer items all accessible to children.
<b>X</b>	<b>25. 9(c)</b> BIO- CONTAMINANTS DISPOSED SAFELY	
<b>X</b>	<b>26. 9(d)(1)</b> SAFE STORAGE OF FLAMMABLES	
<b>O</b>	<b>27. 9(d)(2)</b> SAFE DOOR FASTENERS	Provider not in compliance with ensuring safe door fasteners when there was no pin available to unlock the bathroom door.
<b>O</b>	<b>28. 9(d)(3)</b> ELECTRICAL SAFETY	Provider not in compliance with maintaining electrical cords and/or appliances are secured and in good repair when internet cord was not secured and accessible. Provider not in compliance with maintaining protective covers or approved safety outlets when 16 outlets were missing safety protector covers.

X	29. 9(d)(4)-(A) SAFE EXITS		
X	30. 9(d)(4)(A) BASEMENT SUPERVISION USED FOR CARE ?	Y/N Y Y/N N	
O	31. 9(d)(4)(D) STAIRWAYS - PROTECTED, HANDRAILS	Provider not in compliance with maintaining a sturdy handrail with no areas in which a child may fall through when the outdoor back steps had a hand rail that was missing posing a fall hazard.	
X	32. 9(d)(4)(E)-(5) EMERGENCY PLAN		
X	33. 9(d)(5) EMERGENCY EVACUATION DRILLS - QUARTERLY/LOG		
O	34. 9(d)(6) SMOKE DETECTORS	Provider not in compliance with maintaining operable smoke detectors on each level of the home when there were no smoke detectors on the main floor or basement levels of the home.	
O	35. 9(d)(7) CARBON MONOXIDE DETECTOR	Provider not in compliance with maintaining operable carbon monoxide detectors on each occupied level of the home when there were no carbon monoxide detectors on the main floor or basement levels of the home.	
O	36. 9(d)(8) FIRE EXTINGUISHER- 5 LB. ABC/INSTALLED	Provider not in compliance with installing a fire extinguisher according to manufacturer's instructions when 5 lb abc fire extinguisher was still in the box and not mounted per manufacturer's instructions.	
X	37. 9(d)(9) N/A? Y AUXILIARY HEATING SYSTEM	TYPE:	APPROVED?
X	38. 9(e) SAFE STORAGE OF WEAPONS AND AMMUNITION		
X	39. 9(f)(1)-(2) SAFE SPACE- SUFFICIENT INDOORS   OUTDOORS Yes   Yes		
X	40. 9(f)(2) N/A? BODY OF WATER- 4 FT. STURDY FENCE OR BARRIER-LOCKED	TYPE:	BARRIER:
X	41. 9(f)(3) N/A? Y HOT TUBS- LOCKED -INACCESSIBLE		
X	42. 9(g) VENTILATION, LIGHT AND TEMPERATURE- 65°		
X	43. 9(g) WINDOW SAFETY		
X	44. 9(h) WASHING TOILETING, SEWAGE GARBAGE FACILITIES		
X	45. 9(i) ADEQUATE AND SAFE WATER - TYPE OF SYSTEM: Private Well		
O	46. 9(h) WATER TEMPERATURE- 60°-120°	Provider not in compliance with maintaining a safe water temperature between 60-120 degrees when water measured at 148.5 F.	

<b>X</b>	<b>47. 9(j)</b> <b>PASTEURIZATION OF MILK SUPPLY</b>	
<b>X</b>	<b>48. 9(k)</b> <b>WORKING PHONE, EMERGENCY NUMBERS POSTED</b>	
<b>X</b>	<b>49. 9(l)</b> <b>SAFE TRANSPORTATION REGISTERED, INSURED, RESTRAINTS</b>	
<b>O</b>	<b>50. 9(m)-(n)</b> <b>FIRST AID KIT and SUPPLIES</b>	<b>Provider not in compliance with maintaining at least one portable, readily accessible first aid kit when there was no kit available.</b>
<b>X</b>	<b>51. 9(o)</b> <b>PET PROTECTION</b>	<b>TYPE of PETS:</b>   <b>1 dog</b>
	<b>PETS?</b>   Y/N   <b>Y</b>	
	<b>RABIES CERTS?</b>   Y/N   <b>Y</b>	
<b>X</b>	<b>52. 9(p)</b> <b>Smoking Prohibited</b>	

**RESPONSIBILITIES OF PROVIDER 19a-87b-10**

<b>X</b>	<b>53. 10(b)(1)</b> <b>ENROLLMENT FORM</b>	
<b>X</b>	<b>54. 10(b)(2)</b> <b>CHILD HEALTH RECORD</b>	
<b>X</b>	<b>55. 10(b)(2)(v)(I)</b> <b>IMMUNIZATIONS</b>	
<b>X</b>	<b>56. 10(b)(3)(B)</b> <b>EMERGENCY PERMISSION</b>	
<b>X</b>	<b>57. 10(b)(3)(A)</b> <b>AUTHORIZED RELEASE</b>	
<b>X</b>	<b>58. 10(b)(3)(C)-(D)-(F)</b> <b>FIELD TRIP AND TRANSPORTATION PERMISSION- TO/FROM SCHOOL</b>	
<b>X</b>	<b>59. 10(b)(3)(E)</b> <b>SWIMMING PERMISSION</b>	
<b>X</b>	<b>60.10(b)(4)</b> <b>INCIDENT LOG</b>	
<b>X</b>	<b>61. 10(b)(5)</b> <b>CONFIDENTIALITY</b>	
<b>X</b>	<b>62. 10(c)</b> <b>MEETING THE CHILD'S NEEDS</b>	
<b>X</b>	<b>63.10(c)(1)</b> <b>SUFFICIENT PLAY EQUIPMENT</b>	

<b>X</b>	<b>64. 10(c)(2)</b> <b>GOOD NUTRITION- MEALS/SNACKS, WATER AVAILABLE</b>	
<b>X</b>	<b>65. 10(c)(3)</b> <b>HANDWASHING</b>	
<b>O</b>	<b>66. 10(c)(4)</b> <b>FLEXIBLE AND BALANCED WRITTEN SCHEDULE</b>	<b>Provider not in compliance with developing and implementing a written schedule when there was no schedule available for review.</b>
<b>X</b>	<b>67. 10(c)(6)</b> <b>PERSONAL ARTICLES- BLANKET, TOWEL, TOILET ARTICLES</b>	
<b>X</b>	<b>68. 10(c)(5)</b> <b>PROPER REST PROVISIONS – SAFE CRIBS</b>	
<b>X</b>	<b>69. 10(d)</b> <b>INDIVIDUAL PLAN FOR CARE</b>	
<b>X</b>	<b>70. 10(d)(1-2)</b> <b>CULTURAL DIFFERENCES, SP. NEEDS, DEV. APPR. ACTIVITIES</b>	
<b>X</b>	<b>71. 10(e)</b> <b>INFANT CARE, INDIV ATTENTION, HELD FOR BOTTLE FEEDINGS</b>	
<b>X</b>	<b>72. 10(f)(1)</b> <b>INFANTS PLACED ON BACK FOR SLEEPING</b>	
<b>X</b>	<b>73. 10(f)(1)</b> <b>INFANTS PLACED IN CRIB, WELL CONSTRUCTED, SNUG MATTRESS, TIGHT SHEET</b>	
<b>X</b>	<b>74. 10(f)(3)-(4)/(7)</b> <b>CRIB OR OTHER PROVISION FREE FROM OBSERVABLE HAZARDS</b>	
<b>X</b>	<b>75. 10(f)(5)</b> <b>INFANTS NOT SWADDLED</b>	
<b>X</b>	<b>76. 10(f)(6)</b> <b>INFANTS SUPERVISED – MINIMUM EVERY 15 MINUTES</b>	
<b>X</b>	<b>77. 10(f)(8)</b> <b>REQ. FOR SLEEP ARRANGEMENTS POSTED/DISCUSSED</b>	
<b>X</b>	<b>78. 10(g)</b> <b>DIAPER CHANGING- FREQUENT, SANITARY, HANDWASHING, WASTE DISPOSAL</b>	
<b>X</b>	<b>79. 10(h)(1)-(9)-(11)</b> <b>PARENT INFORMATION AND ACCESS</b>	
<b>X</b>	<b>80. 10(h)(10)</b> <b>DEVELOPMENTAL MILESTONES – POSTED</b>	

<b>X</b>	<b>81. 10(i)</b> SUPERVISION- AT ALL TIMES, INDOORS and OUTDOORS	
<b>X</b>	<b>82. 10(i)(1)</b> PERSONAL SCHEDULE- ALERT, COMPETENT ATTENTION	
<b>X</b>	<b>83. 10(i)(2)</b> FULL ATTENTION - DISTRACTIONS, EMPLOYMENT, SOCIALIZATION	
<b>X</b>	<b>84. 10(i)(3)</b> IMMEDIATE ATTENTION	
<b>X</b>	<b>85. 10(i)(4)</b> SUBSTITUTE – EMERGENCY CAREGIVER PRESENT	
<b>X</b>	<b>86. 10(j)</b> APPR. DISCIPLINE, BEHAVIOR MANAGEMENT	
<b>X</b>	<b>87. 10(j)(2)</b> DISCUSS BEH. MANAGEMENT METHODS W/STAFF AND PARENTS	
<b>X</b>	<b>88. 10(k)(1)</b> CHILD PROTECTION- ABUSE/NEGLECT	
<b>X</b>	<b>89. 10(k)(2)(A-B)</b> NOTIFY OEC WITHIN 24 HRS. - DEATH OR SERIOUS INJURY	
<b>X</b>	<b>90. 10(k)(3)</b> MANDATED REPORTING ABUSE OR NEGLECT TO DCF	

**SICK CHILD CARE 19a-87b-11**

<b>X</b>	<b>91. 11(a)(1)-(3)</b> SICK CHILD CARE	
----------	--	--

**NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N**

<b>X</b>	<b>92. 12(a)(1)-(3)</b> SEPARATE BED- LOCATION OF BED - APPROPRIATE SLEEPWEAR	
----------	---	--

**OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13**

<b>X</b>	<b>93. 13(a)-(f)</b> ACCESS- IMMEDIATE, ENTIRE OR PART OF FACILITY AND RECORDS	
----------	--	--

**ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N**

<b>X</b>	<b>94. 17</b> <b>POLICIES AND</b> <b>PROCEDURES FOR</b> <b>ADMIN OF MEDS</b>	
<b>X</b>	<b>95. (a)(2)</b> <b>PARENT</b> <b>PERMISSION FOR</b> <b>NONPRESCRIPTION</b> <b>TOPICAL MEDS</b>	
<b>X</b>	<b>96. (a)(2)(b)(3)(D)</b> <b>NOTIFICATION -</b> <b>DOCUMENTATION</b> <b>OF MED ERROR(S)</b>	
<b>X</b>	<b>97. (a)(3)</b> <b>NONPRESCRIPTION</b> <b>TOPICAL MEDS-</b> <b>STORED/LABELED</b>	
<b>X</b>	<b>98. (a)(3)(C)</b> <b>UNUSED -EXPIRED</b> <b>NONPRESCRIPTION</b> <b>MEDS</b>	
<b>X</b>	<b>99. (b)(1)(2)</b> <b>DOCUMENTED</b> <b>MEDICATION</b> <b>TRAINED STAFF</b>	
<b>X</b>	<b>100. (b)(3)</b> <b>WRITTEN AUTH</b> <b>PRESCRIBER,</b> <b>PARENT</b> <b>PERMISSION</b>	
<b>X</b>	<b>101. (b)(4)(A-B)</b> <b>MAR MAINTAINED</b>	
<b>X</b>	<b>102. (b)(5)(A-B)</b> <b>PRESCRIPTION</b> <b>MEDS -</b> <b>STORED/LABELED</b>	
<b>X</b>	<b>103. (b)(5)(D)</b> <b>UNUSED/EXPIRED</b> <b>PRESCRIPTION</b> <b>MEDS</b>	
<b>X</b>	<b>104. (b)(5)(C)(E)</b> <b>EMERGENCY MEDS-</b> <b>EQUIPMENT</b> <b>LABELED/CURRENT</b>	
<b>X</b>	<b>105. (b)(6)</b> <b>SELF -</b> <b>ADMIN. OF MEDS</b>	
<b>X</b>	<b>106. (b)(7)</b> <b>PETITION FOR</b> <b>SPECIAL</b> <b>MEDICATION</b> <b>AUTHORIZATION</b>	
<b>X</b>	<b>107. (d)</b> <b>POTASSIUM IODIDE</b> <b>(KI)</b>	
	N/A	

**MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N**

<b>X</b>	<b>108. (a)</b> <b>POLICIES FOR</b> <b>FINGER STICK</b> <b>BLOOD GLUCOSE</b> <b>TESTING</b>	
<b>X</b>	<b>109. (b)</b> <b>FINGER STICK</b> <b>BLOOD GLUCOSE</b> <b>TESTING - STAFF</b> <b>TRAINED</b>	

<b>X</b>	<b>110. (c)(3)</b> SELF ADMIN OF FINGER STICK BLOOD GLUCOSE TESTING	
<b>X</b>	<b>111. (d)</b> TESTING EQUIP. & SUPPLIES- MAINTAIN, LABELED, LOCKED, DISPOSED	
<b>X</b>	<b>112. (e)(1-2)</b> FINGER STICK BLOOD GLUCOSE TESTING RECORDS	
<b>X</b>	<b>113. (e)(3)</b> PARENT NOTIFICATION OF TEST RESULTS	

**ADDITIONAL VIOLATIONS**



<b>114.</b> CONSENT ORDER - NEGOTIATED CORRECTIVE ACTION PLAN	N/A?	
	<b>Y</b>	


<b>WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?</b>	<b>Yes</b>	<b>LEVEL OF NON-COMPLIANCE THIS VISIT:</b>	<b>10 out of 110</b>
--	------------	--	----------------------

**DISCUSSIONS/COMMENTS**

**IMPORTANT NOTES**

\* It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.  
 \* Only the regulations marked as compliant or non-compliant were monitored or discussed.

Signature of OEC Representative			Signature of Provider/ Substitute
Printed Name	<b>Rebecca LaRosa</b>	<b>KISHWER S ZAIDI</b>	Printed Name
2 <sup>nd</sup> OEC Representative		<b>APPLICANTS: You <i>MAY NOT OPERATE</i> until all requirements have been met and a license has been issued by the Agency.</b>	
Printed Name		<b>THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.</b>	

	Written Corrective Action Plan due by:	<b>DIVISION OF LICENSING</b> 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552 Email: <a href="mailto:oc.licensing@ct.gov">oc.licensing@ct.gov</a> Website: <a href="http://www.ctoec.org">www.ctoec.org</a>
OEC Representative's Email: <b>rebecca.larosa@ct.gov</b>	CAP: <a href="https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf">https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf</a>	