




DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

FAMILY CHILD CARE HOME INSPECTION

PROVIDER	NICOLE CABA GIL			LICENSE NUMBER	DCFH.58273	DATE OF INSPECTION	05/15/2026
				EXPIRATION DATE	10/31/2029	TIME OF INSPECTION	10:10 AM
ADDRESS	569 CARROLL AVE BRIDGEPORT CT 06607-1412			TELEPHONE	(203) 583-5187	REGULAR CAPACITY	6
				HOURS OF OPERATION	6:00 AM - 5:30 PM	SCHOOL AGE CAPACITY	3
				DAYS OF OPERATION	Mon-Fri	SUMMER HOURS	Open
IS THIS A CHANGE OF ADDRESS?	YES	NO	NEW ADDRESS	# UNDER 18 MTHS PRESENT	9	WEEKEND HOURS	No
	X		90 JOHNSON AVENUE STRATFORD 06614	TOTAL CHILDREN PRESENT	0	NIGHT HOURS	No
TYPE OF INSPECTION	CHANGE OF ADDRESS			INSPECTOR'S NAME	Silvana Carreon Zegarra		
PROVIDER'S EMAIL	nicolecaba710@gmail.com			INSPECTOR'S EMAIL	silvana.carreon-zegarra@ct.gov		
KEY: COMPLIANT = X NON-COMPLIANT = O	<i>Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h)</i>  Signature of Provider/Substitute/Applicant						

TERMS OF THE LICENSE 19a-87b-5

X	4. 5(d)(10(a)) CAPACITY	
X	5. 5(c) NON-TRANSFERABILITY OF LICENSE	Pending?
X	6. 5(e) INFANT/TODDLER RESTRICTION	
X	7. 5(f)(2) LICENSE POSTED	
X	8. 5(g) PARENT ACCESS TO OEC PHONE NUMBER	
X	9. 5(h) PHOTO ID	
X	10. 5(i) REQUESTS FOR INFORMATION	
X	11. 5(j) NOTIFICATION OF CHANGE	

QUALIFICATION OF PROVIDER 19a-87b-6

X	12. 6(a) AWARENESS OF, UNDERSTANDING OF REGULATIONS	
X	13. 6(b) MEDICAL STATEMENT	
	EXPIRATION DATE:	
	01/14/2028	

X	14. 6(c)(1) FIRST AID CERTIFICATE	
	EXPIRATION DATE: 01/19/2027	
X	15. 6(c)(2) CPR CERTIFICATE	
	EXPIRATION DATE: 01/19/2027	
X	16. 6(e) JUDGMENT	

MEMBERS OF THE HOUSEHOLD 19a-87b-7

X	17. 7(a) MEDICAL STATEMENT	
X	18. 7(b) HOUSEHOLD ENVIRONMENT	

QUALIFICATIONS OF STAFF 19a-87b-8

X	19. 8(a)-(b) SUBSTITUTE - ASSISTANT	Y/N	NAME:	Magalis Gil Caba	Appvl #	93063
		Y	NAME:		Appvl #	
	PRESENT AT VISIT?					
	Y					
X	20. 8(c) EMERGENCY CAREGIVER					

COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a

X	21. 8a(a)-(f) BACKGROUND CHECK(S)	
----------	--	--

PHYSICAL ENVIRONMENT 19a-87b-9

X	22. 9(a) CLEAN/SANITARY ENVIRONMENT	
O	23. 9(b) FREEDOM OF HAZARDS	Provider not in compliance with maintaining the facility and/or equipment in good repair and free of hazards when the OEC representative observed an unsecured shelf in the care area.
X	24. 9(c) HARMFUL SUBSTANCES and MATERIALS INACCESSIBLE	
X	25. 9(c) BIO- CONTAMINANTS DISPOSED SAFELY	
X	26. 9(d)(1) SAFE STORAGE OF FLAMMABLES	
X	27. 9(d)(2) SAFE DOOR FASTENERS	
O	28. 9(d)(3) ELECTRICAL SAFETY	Provider not in compliance with ensuring that electrical cords do not hang within reach of children, as the OEC representative observed a television cord behind the children's table accessible to children

X	29. 9(d)(4)-(A) SAFE EXITS		
X	30. 9(d)(4)(A) BASEMENT	Y/N	
	SUPERVISION	Y	
	USED FOR CARE ?	Y/N N	
O	31. 9(d)(4)(D) STAIRWAYS - PROTECTED, HANDRAILS	Provider not in compliance with ensuring a gate or other structure is in place at the entry of stairways accessible to children, as the OEC representative observed at outdoor space five-step stairs without any protective structure to prevent children from accessing them.	
X	32. 9(d)(4)(E)-(5) EMERGENCY PLAN		
X	33. 9(d)(5) EMERGENCY EVACUATION DRILLS - QUARTERLY/LOG		
X	34. 9(d)(6) SMOKE DETECTORS		
X	35. 9(d)(7) CARBON MONOXIDE DETECTOR		
O	36. 9(d)(8) FIRE EXTINGUISHER- 5 LB. ABC/INSTALLED	Provider not in compliance with maintaining at least a 5lb ABC fire extinguisher in operating condition, as the OEC representative observed a 2lb extinguisher.	
X	37. 9(d)(9) N/A? Y	TYPE:	APPROVED?
	AUXILIARY HEATING SYSTEM		
X	38. 9(e) SAFE STORAGE OF WEAPONS AND AMMUNITION		
X	39. 9(f)(1)-(2) SAFE SPACE- SUFFICIENT		
	INDOORS OUTDOORS Yes Yes		
X	40. 9(f)(2) N/A?	TYPE:	BARRIER:
	BODY OF WATER- 4 FT. STURDY FENCE OR BARRIER-LOCKED		
X	41. 9(f)(3) N/A? Y HOT TUBS- LOCKED -INACCESSIBLE		
X	42. 9(g) VENTILATION, LIGHT AND TEMPERATURE- 65°		
X	43. 9(g) WINDOW SAFETY		
X	44. 9(h) WASHING TOILETING, SEWAGE GARBAGE FACILITIES		
X	45. 9(i) ADEQUATE AND SAFE WATER -		
	TYPE OF SYSTEM: Public Water		
O	46. 9(h) WATER TEMPERATURE- 60°-120°	Provider not in compliance with maintaining a safe water temperature between 60-120 degrees. The water temperature was 147F.	

X	47. 9(i) PASTEURIZATION OF MILK SUPPLY	
X	48. 9(k) WORKING PHONE, EMERGENCY NUMBERS POSTED	
X	49. 9(l) SAFE TRANSPORTATION REGISTERED, INSURED, RESTRAINTS	
O	50. 9(m)-(n) FIRST AID KIT and SUPPLIES	Provider not in compliance with maintaining a complete first aid kit. The OEC representative observed that an instant cold compress, a two-inch gauze roller bandage, and gloves were missing.
X	51. 9(o) PET PROTECTION PETS?	TYPE of PETS:
	RABIES CERTS?	Y/N N
X	52. 9(p) <u>Smoking Prohibited</u>	

RESPONSIBILITIES OF PROVIDER 19a-87b-10

X	53. 10(b)(1) ENROLLMENT FORM	
X	54. 10(b)(2) CHILD HEALTH RECORD	
X	55. 10(b)(2)(v)(I) IMMUNIZATIONS	
X	56. 10(b)(3)(B) EMERGENCY PERMISSION	
X	57. 10(b)(3)(A) AUTHORIZED RELEASE	
X	58. 10(b)(3)(C)-(D)-(F) FIELD TRIP AND TRANSPORTATION PERMISSION- TO/FROM SCHOOL	
X	59. 10(b)(3)(E) SWIMMING PERMISSION	
X	60.10(b)(4) INCIDENT LOG	
X	61. 10(b)(5) CONFIDENTIALITY	
X	62. 10(c) MEETING THE CHILD'S NEEDS	
X	63.10(c)(1) SUFFICIENT PLAY EQUIPMENT	

X	64. 10(c)(2) GOOD NUTRITION- MEALS/SNACKS, WATER AVAILABLE	
X	65. 10(c)(3) HANDWASHING	
X	66. 10(c)(4) FLEXIBLE AND BALANCED WRITTEN SCHEDULE	
X	67. 10(c)(6) PERSONAL ARTICLES- BLANKET, TOWEL, TOILET ARTICLES	
X	68. 10(c)(5) PROPER REST PROVISIONS – SAFE CRIBS	
X	69. 10(d) INDIVIDUAL PLAN FOR CARE	
X	70. 10(d)(1-2) CULTURAL DIFFERENCES, SP. NEEDS, DEV. APPR. ACTIVITIES	
X	71. 10(e) INFANT CARE, INDIV ATTENTION, HELD FOR BOTTLE FEEDINGS	
X	72. 10(f)(1) INFANTS PLACED ON BACK FOR SLEEPING	
X	73. 10(f)(1) INFANTS PLACED IN CRIB, WELL CONSTRUCTED, SNUG MATTRESS, TIGHT SHEET	
X	74. 10(f)(3)-(4)/(7) CRIB OR OTHER PROVISION FREE FROM OBSERVABLE HAZARDS	
X	75. 10(f)(5) INFANTS NOT SWADDLED	
X	76. 10(f)(6) INFANTS SUPERVISED – MINIMUM EVERY 15 MINUTES	
X	77. 10(f)(8) REQ. FOR SLEEP ARRANGEMENTS POSTED/DISCUSSED	
X	78. 10(g) DIAPER CHANGING- FREQUENT, SANITARY, HANDWASHING, WASTE DISPOSAL	
X	79. 10(h)(1)-(9)-(11) PARENT INFORMATION AND ACCESS	
X	80. 10(h)(10) DEVELOPMENTAL MILESTONES – POSTED	

X	81. 10(i) SUPERVISION- AT ALL TIMES, INDOORS and OUTDOORS	
X	82. 10(i)(1) PERSONAL SCHEDULE- ALERT, COMPETENT ATTENTION	
X	83. 10(i)(2) FULL ATTENTION - DISTRACTIONS, EMPLOYMENT, SOCIALIZATION	
X	84. 10(i)(3) IMMEDIATE ATTENTION	
X	85. 10(i)(4) SUBSTITUTE – EMERGENCY CAREGIVER PRESENT	
X	86. 10(j) APPR. DISCIPLINE, BEHAVIOR MANAGEMENT	
X	87. 10(j)(2) DISCUSS BEH. MANAGEMENT METHODS W/STAFF AND PARENTS	
X	88. 10(k)(1) CHILD PROTECTION- ABUSE/NEGLECT	
X	89. 10(k)(2)(A-B) NOTIFY OEC WITHIN 24 HRS. - DEATH OR SERIOUS INJURY	
X	90. 10(k)(3) MANDATED REPORTING ABUSE OR NEGLECT TO DCF	

SICK CHILD CARE 19a-87b-11

X	91. 11(a)(1)-(3) SICK CHILD CARE	
----------	--	--

NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N

	92. 12(a)(1)-(3) SEPARATE BED- LOCATION OF BED - APPROPRIATE SLEEPWEAR	
--	---	--

OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13

X	93. 13(a)-(f) ACCESS- IMMEDIATE, ENTIRE OR PART OF FACILITY AND RECORDS	
----------	--	--

ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N

X	94. 17 POLICIES AND PROCEDURES FOR ADMIN OF MEDS	
X	95. (a)(2) PARENT PERMISSION FOR NONPRESCRIPTION TOPICAL MEDS	
X	96. (a)(2)(b)(3)(D) NOTIFICATION - DOCUMENTATION OF MED ERROR(S)	
X	97. (a)(3) NONPRESCRIPTION TOPICAL MEDS- STORED/LABELED	
X	98. (a)(3)(C) UNUSED -EXPIRED NONPRESCRIPTION MEDS	
X	99. (b)(1)(2) DOCUMENTED MEDICATION TRAINED STAFF	
X	100. (b)(3) WRITTEN AUTH PRESCRIBER, PARENT PERMISSION	
X	101. (b)(4)(A-B) MAR MAINTAINED	
X	102. (b)(5)(A-B) PRESCRIPTION MEDS - STORED/LABELED	
X	103. (b)(5)(D) UNUSED/EXPIRED PRESCRIPTION MEDS	
X	104. (b)(5)(C)(E) EMERGENCY MEDS- EQUIPMENT LABELED/CURRENT	
X	105. (b)(6) SELF - ADMIN. OF MEDS	
X	106. (b)(7) PETITION FOR SPECIAL MEDICATION AUTHORIZATION	
	107. (d) POTASSIUM IODIDE (KI)	
	N/A	

MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N

X	108. (a) POLICIES FOR FINGER STICK BLOOD GLUCOSE TESTING	
X	109. (b) FINGER STICK BLOOD GLUCOSE TESTING - STAFF TRAINED	

X	110. (c)(3) SELF ADMIN OF FINGER STICK BLOOD GLUCOSE TESTING	
X	111. (d) TESTING EQUIP. & SUPPLIES- MAINTAIN, LABELED, LOCKED, DISPOSED	
X	112. (e)(1-2) FINGER STICK BLOOD GLUCOSE TESTING RECORDS	
X	113. (e)(3) PARENT NOTIFICATION OF TEST RESULTS	

ADDITIONAL VIOLATIONS

	114. CONSENT ORDER - NEGOTIATED CORRECTIVE ACTION PLAN	N/A?	
		Y	



WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?	Yes	LEVEL OF NON-COMPLIANCE THIS VISIT:	6 out of 109
---	-----	-------------------------------------	--------------


DISCUSSIONS/COMMENTS

The capacity for the new location of care is 6/3.
 The provider correct exit the following regulations during the visit. # 24 Harmful Substances: the provider removed cleaning product from the under the bathroom's sink, # 32 Emergency Plan - completed, # 34-355 Smoke & Carbon Monoxide Detector installed in the basement, # 48 Emergency Number- completed,
 Discussion: approved staff's certificate - accessible, background check- roster shall list all the household member or have ID for each member. Flexible and balanced written schedule.
 The provider reviewed the OEC regulation using visual aids, including safe sleep, supervision, capacity, notification of change, infant care, medication, enrollment, written permission form, and more. The OEC representative helped the provider contacting BCIS team to resolve her account.

IMPORTANT NOTES

* It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
 * Only the regulations marked as compliant or non-compliant were monitored or discussed.

Signature of OEC Representative			Signature of Provider/ Substitute
Printed Name	Silvana Carreon Zegarra	NICOLE CABA GIL	Printed Name
2 nd OEC Representative		APPLICANTS: You <i>MAY NOT OPERATE</i> until all requirements have been met and a license has been issued by the Agency.	
Printed Name		THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.	

	Written Corrective Action Plan due by: 05/29/2026	DIVISION OF LICENSING 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552 Email: oc.licensing@ct.gov Website: www.ctoec.org
OEC Representative's Email: silvana.carreon-zegarra@ct.gov		CAP: https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf