



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103

Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552

Email: oc.licensing@ct.gov Website: www.ctoec.org

FAMILY CHILD CARE HOME INSPECTION

PROVIDER	SABRINA MAILHOT			LICENSE NUMBER	DCFH.57151	DATE OF INSPECTION	05/26/2026	
				EXPIRATION DATE	2/28/2027	TIME OF INSPECTION	09:41 AM	
ADDRESS	148 HALL HILL RD SOMERS CT 06071-1446			TELEPHONE	(860) 818-1526	REGULAR CAPACITY	6	
				HOURS OF OPERATION	7:30 AM — 5:00 PM	SCHOOL AGE CAPACITY	3	
				DAYS OF OPERATION	Mon-Fri	SUMMER HOURS	Open	
IS THIS A CHANGE OF ADDRESS?	YES	NO	NEW ADDRESS	24 Rose Haven Road	# UNDER 18 MTHS PRESENT	0	WEEKEND HOURS	No
	X			Somers 06071	TOTAL CHILDREN PRESENT	1	NIGHT HOURS	No
TYPE OF INSPECTION	CHANGE OF ADDRESS				INSPECTOR'S NAME	Stefanie Russo		
PROVIDER'S EMAIL	littlethingsfcc@gmail.com				INSPECTOR'S EMAIL	stefanie.russo@ct.gov		
KEY:	<i>Consent to Inspect: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).</i>							
COMPLIANT = X	 Signature of Provider/Substitute/Applicant							
NON-COMPLIANT = O								

TERMS OF THE LICENSE 19a-87b-5

X	4. 5(d)(10(a)) CAPACITY		
X	5. 5(c) NON-TRANSFERABILITY OF LICENSE	Pending?	
X	6. 5(e) INFANT/TODDLER RESTRICTION		
X	7. 5(f)(2) LICENSE POSTED		
X	8. 5(g) PARENT ACCESS TO OEC PHONE NUMBER		
X	9. 5(h) PHOTO ID		
X	10. 5(i) REQUESTS FOR INFORMATION		
X	11. 5(j) NOTIFICATION OF CHANGE		

QUALIFICATION OF PROVIDER 19a-87b-6

X	12. 6(a) AWARENESS OF, UNDERSTANDING OF REGULATIONS	
X	13. 6(b) MEDICAL STATEMENT EXPIRATION DATE:	
	06/20/2028	

X	14. 6(c)(1) FIRST AID CERTIFICATE	
	EXPIRATION DATE: 01/11/2027	
X	15. 6(c)(2) CPR CERTIFICATE	
	EXPIRATION DATE: 01/11/2027	
X	16. 6(e) JUDGMENT	

MEMBERS OF THE HOUSEHOLD 19a-87b-7

X	17. 7(a) MEDICAL STATEMENT	
X	18. 7(b) HOUSEHOLD ENVIRONMENT	

QUALIFICATIONS OF STAFF 19a-87b-8

X	19. 8(a)-(b) SUBSTITUTE - ASSISTANT	Y/N	NAME:	Ryan Mailhot	Appvl #	91312
		Y	NAME:		Appvl #	
	PRESENT AT VISIT?					
	Y					
X	20. 8(c) EMERGENCY CAREGIVER					

COMPREHENSIVE BACKGROUND CHECK 19a-87b-8a

X	21. 8a(a)-(f) BACKGROUND CHECK(S)	
----------	--	--

PHYSICAL ENVIRONMENT 19a-87b-9

X	22. 9(a) CLEAN/SANITARY ENVIRONMENT	
O	23. 9(b) FREEDOM OF HAZARDS	The Provider not in compliance with maintaining the facility and/or equipment in good repair and free of hazards when, the hearth around the fireplace in the play room is not completely protected, and is accessible to the children.
X	24. 9(c) HARMFUL SUBSTANCES and MATERIALS INACCESSIBLE	
X	25. 9(c) BIO- CONTAMINANTS DISPOSED SAFELY	
X	26. 9(d)(1) SAFE STORAGE OF FLAMMABLES	
X	27. 9(d)(2) SAFE DOOR FASTENERS	
X	28. 9(d)(3) ELECTRICAL SAFETY	

X	29. 9(d)(4)-(A) SAFE EXITS		
X	30. 9(d)(4)(A) BASEMENT	Y/N	
	SUPERVISION	Y	
	USED FOR CARE ?	Y/N	
	Y		
X	31. 9(d)(4)(D) STAIRWAYS - PROTECTED, HANDRAILS		
X	32. 9(d)(4)(E)-(5) EMERGENCY PLAN		
X	33. 9(d)(5) EMERGENCY EVACUATION DRILLS - QUARTERLY/LOG		
X	34. 9(d)(6) SMOKE DETECTORS	The Provider is not in compliance with maintaining operable smoke detectors when, a smoke detector was not observed in the attic level of the home.	
X	35. 9(d)(7) CARBON MONOXIDE DETECTOR		
X	36. 9(d)(8) FIRE EXTINGUISHER- 5 LB. ABC/INSTALLED		
X	37. 9(d)(9) N/A? Y AUXILIARY HEATING SYSTEM	TYPE:	APPROVED?
X	38. 9(e) SAFE STORAGE OF WEAPONS AND AMMUNITION		
X	39. 9(f)(1)-(2) SAFE SPACE- SUFFICIENT		
	INDOORS OUTDOORS Yes Yes		
X	40. 9(f)(2) N/A? Y BODY OF WATER- 4 FT. STURDY FENCE OR BARRIER-LOCKED	TYPE:	BARRIER:
X	41. 9(f)(3) N/A? Y HOT TUBS- LOCKED -INACCESSIBLE		
X	42. 9(g) VENTILATION, LIGHT AND TEMPERATURE- 65°		
X	43. 9(g) WINDOW SAFETY		
X	44. 9(h) WASHING TOILETING, SEWAGE GARBAGE FACILITIES		
X	45. 9(i) ADEQUATE AND SAFE WATER -		
	TYPE OF SYSTEM: Private Well		
X	46. 9(h) WATER TEMPERATURE- 60°-120°		

X	47. 9(i) PASTEURIZATION OF MILK SUPPLY		
X	48. 9(k) WORKING PHONE, EMERGENCY NUMBERS POSTED		
X	49. 9(l) SAFE TRANSPORTATION REGISTERED, INSURED, RESTRAINTS		
X	50. 9(m)-(n) FIRST AID KIT and SUPPLIES		
X	51. 9(o) PET PROTECTION	TYPE of	
	PETS?	Y/N	N
	RABIES CERTS?	Y/N	N
X	52. 9(p) <u>Smoking Prohibited</u>		

RESPONSIBILITIES OF PROVIDER 19a-87b-10

X	53. 10(b)(1) ENROLLMENT FORM	
X	54. 10(b)(2) CHILD HEALTH RECORD	
X	55. 10(b)(2)(v)/(l) IMMUNIZATIONS	
X	56. 10(b)(3)(B) EMERGENCY PERMISSION	
X	57. 10(b)(3)(A) AUTHORIZED RELEASE	
X	58. 10(b)(3)(C)-(D)-(F) FIELD TRIP AND TRANSPORTATION PERMISSION- TO/FROM SCHOOL	
X	59. 10(b)(3)(E) SWIMMING PERMISSION	
X	60.10(b)(4) INCIDENT LOG	
X	61. 10(b)(5) CONFIDENTIALITY	
X	62. 10(c) MEETING THE CHILD'S NEEDS	
X	63.10(c)(1) SUFFICIENT PLAY EQUIPMENT	

X	64. 10(c)(2) GOOD NUTRITION- MEALS/SNACKS, WATER AVAILABLE	
X	65. 10(c)(3) HANDWASHING	
X	66. 10(c)(4) FLEXIBLE AND BALANCED WRITTEN SCHEDULE	
X	67. 10(c)(6) PERSONAL ARTICLES- BLANKET, TOWEL, TOILET ARTICLES	
X	68. 10(c)(5) PROPER REST PROVISIONS – SAFE CRIBS	
X	69. 10(d) INDIVIDUAL PLAN FOR CARE	
X	70. 10(d)(1-2) CULTURAL DIFFERENCES, SP. NEEDS, DEV. APPR. ACTIVITIES	
X	71. 10(e) INFANT CARE, INDIV ATTENTION, HELD FOR BOTTLE FEEDINGS	
X	72. 10(f)(1) INFANTS PLACED ON BACK FOR SLEEPING	
X	73. 10(f)(1) INFANTS PLACED IN CRIB, WELL CONSTRUCTED, SNUG MATTRESS, TIGHT SHEET	
X	74. 10(f)(3)-(4)/(7) CRIB OR OTHER PROVISION FREE FROM OBSERVABLE HAZARDS	
X	75. 10(f)(5) INFANTS NOT SWADDLED	
X	76. 10(f)(6) INFANTS SUPERVISED – MINIMUM EVERY 15 MINUTES	
X	77. 10(f)(8) REQ. FOR SLEEP ARRANGEMENTS POSTED/DISCUSSED	
X	78. 10(g) DIAPER CHANGING- FREQUENT, SANITARY, HANDWASHING, WASTE DISPOSAL	
X	79. 10(h)(1)-(9)-(11) PARENT INFORMATION AND ACCESS	
X	80. 10(h)(10) DEVELOPMENTAL MILESTONES – POSTED	

X	81. 10(i) SUPERVISION- AT ALL TIMES, INDOORS and OUTDOORS	
X	82. 10(i)(1) PERSONAL SCHEDULE- ALERT, COMPETENT ATTENTION	
X	83. 10(i)(2) FULL ATTENTION - DISTRACTIONS, EMPLOYMENT, SOCIALIZATION	
X	84. 10(i)(3) IMMEDIATE ATTENTION	
X	85. 10(i)(4) SUBSTITUTE – EMERGENCY CAREGIVER PRESENT	
X	86. 10(i) APPR. DISCIPLINE, BEHAVIOR MANAGEMENT	
X	87. 10(i)(2) DISCUSS BEH. MANAGEMENT METHODS W/STAFF AND PARENTS	
X	88. 10(k)(1) CHILD PROTECTION- ABUSE/NEGLECT	
X	89. 10(k)(2)(A-B) NOTIFY OEC WITHIN 24 HRS. - DEATH OR SERIOUS INJURY	
X	90. 10(k)(3) MANDATED REPORTING ABUSE OR NEGLECT TO DCF	
SICK CHILD CARE 19a-87b-11		
X	91. 11(a)(1)-(3) SICK CHILD CARE	
NIGHT CARE 19a-87b-12 (10pm to 5am) Y/N? N		
X	92. 12(a)(1)-(3) SEPARATE BED- LOCATION OF BED - APPROPRIATE SLEEPWEAR	
OFFICE ACCESS, INSPECTIONS AND INVESTIGATIONS 19a-87b-13		
X	93. 13(a)-(f) ACCESS- IMMEDIATE, ENTIRE OR PART OF FACILITY AND RECORDS	

ADMINISTRATION OF MEDICATIONS 19a-87b-17 Y/N? N

X	94. 17 POLICIES AND PROCEDURES FOR ADMIN OF MEDS	
X	95. (a)(2) PARENT PERMISSION FOR NONPRESCRIPTION TOPICAL MEDS	
X	96. (a)(2)(b)(3)(D) NOTIFICATION - DOCUMENTATION OF MED ERROR(S)	
X	97. (a)(3) NONPRESCRIPTION TOPICAL MEDS- STORED/LABELED	
X	98. (a)(3)(C) UNUSED -EXPIRED NONPRESCRIPTION MEDS	
X	99. (b)(1)(2) DOCUMENTED MEDICATION TRAINED STAFF	
X	100. (b)(3) WRITTEN AUTH PRESCRIBER, PARENT PERMISSION	
X	101. (b)(4)(A-B) MAR MAINTAINED	
X	102. (b)(5)(A-B) PRESCRIPTION MEDS – STORED/LABELED	
X	103. (b)(5)(D) UNUSED/EXPIRED PRESCRIPTION MEDS	
X	104. (b)(5)(C)(E) EMERGENCY MEDS- EQUIPMENT LABELED/CURRENT	
X	105. (b)(6) SELF – ADMIN. OF MEDS	
X	106. (b)(7) PETITION FOR SPECIAL MEDICATION AUTHORIZATION	
X	107. (d) POTASSIUM IODIDE (KI)	
	N/A	

MONITORING OF DIABETES 19a-87b-18 Child with diabetes enrolled? N

X	108. (a) POLICIES FOR FINGER STICK BLOOD GLUCOSE TESTING	
X	109. (b) FINGER STICK BLOOD GLUCOSE TESTING - STAFF TRAINED	

X	110. (c)(3) SELF ADMIN OF FINGER STICK BLOOD GLUCOSE TESTING	
X	111. (d) TESTING EQUIP. & SUPPLIES- MAINTAIN, LABELED, LOCKED, DISPOSED	
X	112. (e)(1-2) FINGER STICK BLOOD GLUCOSE TESTING RECORDS	
X	113. (e)(3) PARENT NOTIFICATION OF TEST RESULTS	

ADDITIONAL VIOLATIONS

114. CONSENT ORDER - NEGOTIATED CORRECTIVE ACTION PLAN	N/A?	
	Y	


WERE VIOLATIONS CITED DURING THIS VISIT? Yes or No?	Yes	LEVEL OF NON-COMPLIANCE THIS VISIT:	1 out of 110
--	-----	--	--------------

DISCUSSIONS/COMMENTS

The Provider lives in a contemporary raised ranch style home.
 The finished basement level is the primary daycare space
 The upstairs level will not be used during daycare hours.
 The outdoor play space is in the back yard.
 No body of water is on the property.
 The road is not busy.
 All regulations were discussed during the COA Inspection.
 Working smoke and carbon monoxide detectors were observed on all levels of the home.

IMPORTANT NOTES

* It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
 * Only the regulations marked as compliant or non-compliant were monitored or discussed.

Signature of OEC Representative			Signature of Provider/ Substitute
Printed Name	Stefanie Russo	SABRINA MAILHOT	Printed Name
2 nd OEC Representative		APPLICANTS: You <u>MAY NOT OPERATE</u> until all requirements have been met <u>and</u> a license has been issued by the Agency.	
Printed Name		THIS INSPECTION SHALL BE POSTED OR SHALL BE AVAILABLE FOR REVIEW UPON REQUEST.	



Written
Corrective Action
Plan due by:
06/09/2026

DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oc.licensing@ct.gov Website: www.ctoec.org

OEC Representative's
Email: stefanie.russo@ct.gov

CAP: <https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf>