



**FAMILY CHILD CARE HOME – INVESTIGATION**

Provider	STEPHANIE PAREDEZ DIAZ		License Number	DCFH.58035	Date of Inspection	06/01/2026	
			Expiration Date	7/31/2028	Time of Inspection	02:13 PM	
Address	169 SHERIDAN ST BRIDGEPORT CT 06610-2759		Telephone	(914) 327-8257	Regular Capacity	6	
			Hours of Operation	6:00 AM – 6:00 PM	School Age Capacity	3	
# Children Present	8	# Under 18 months present	1	Days of Operation	Mon-Fri	Summer Hours	Open
Purpose of Investigation	Complaint		Name of Inspector	Alexandra Rodriguez	Weekend Hours	No	
Provider's Email	Stephanieparedez05@gmail.com		Inspector's Email	alexandra.rodriguez@ct.gov	Night Hours	No	

**CONSENT TO INSPECT:** I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

  
Signature of Provider/Applicant/Substitute/Emergency Caregiver

**SUBSTANTIATED VIOLATIONS OF REGULATIONS**

VIOLATION	Statute - Regulation [19a-87b-9(d)(4)(D)]	Description: 031-Stairways: Protected/Handrails
Provider not in compliance with ensuring a gate or other structure is in place at the entry of stairways accessible to children when observed a gate not installed nor available on stairways in children's outside playground area with area.		
VIOLATION	Statute - Regulation	Description:
VIOLATION	Statute - Regulation	Description:
VIOLATION	Statute - Regulation	Description:
VIOLATION	Statute - Regulation	Description:

<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>
<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>
<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>
<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>
<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>
<b>VIOLATION</b>	<b>Statute - Regulation</b>	<b>Description:</b>

**NOT SUBSTANTIATED AND/OR PENDING VIOLATIONS OF REGULATIONS**

<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-5(d) and/or 10(a)]	<b>Description:</b> 004-Capacity
<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-5(e)]	<b>Description:</b> 006-Infant/Toddler Restriction
<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-6(c)(1)]	<b>Description:</b> 014-First Aid Certificate

<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-6(c)(2)]	<b>Description:</b> 015-CPR Certificate
-------------------------------------	--	--

<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-10(b)(4)]	<b>Description:</b> 060-Incident Log
-------------------------------------	---	---

The regulation regarding incident logs was found to be in compliance during this visit. Provider documented incident on incident log that occurred in childcare on 5/21/26. Documentation was available in child's folder.

<b>STATUS:</b> Not Substantiated	<b>Statute - Regulation</b> [19a-87b-10(h) and/or 19a-87b-10(h)(11)]	<b>Description:</b> 079-Parent Information and Access
-------------------------------------	--	--

The regulation regarding parent information/access was found to be in compliance during this visit. Provider showed conversation with parent using WhatsApp texts to communicate with parent about incident that occurred on 5/21/26.

<b>STATUS:</b>	<b>Statute - Regulation</b>	<b>Description:</b>
----------------	-----------------------------	---------------------




<b>WERE VIOLATIONS CITED DURING THIS VISIT?</b>	<b>YES/NO:</b> Yes
---	--------------------

**DISCUSSIONS/COMMENTS**

Discussed with provider the following:  
 -Importance of ensure all stairways with more than two steps have a gate installed.  
 -Importance of continuing to document, but not limited to any injuries, incidents, and illnesses. Provider understands to inform parents of any incidents by the next business day.  
 -Per provider she stated that she is aware that her first aid and cpr expires on 6/8/26 and has completed the online first aid and cpr course on 5/14/26. The hands on training will be completed by 6/14/26. Provider will submit updated first aid and cpr certificate to licensing specialist.  
 DCFS 92785 was present during inspection.

**IMPORTANT NOTES**

- It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
- Only regulations marked as pending, substantiated or non-substantiated were monitored or discussed.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	<b>DATE CORRECTIONS DUE BY:</b> 06/15/2026	 (Signature of Person in Charge)
<b>Alexandra Rodriguez</b> (Printed Name)	<b>(Printed Name)</b>		<b>STEPHANIE PAREDEZ DIAZ</b> (Printed Name)