

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 6/2/2026
Report Date: 6/5/2026
NELabs Report ID: 26101720-08

HE0326-1

Biotrack ID: TROPHY DAWG BHO LIVE RESIN SUGAR

3987 9750 9148 5715

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.98	9.8
CBG	<LOQ	<LOQ
CBD	-	-
THCV	-	-
CBN	-	-
Δ^9 THC	2.73	27.3
Δ^8 THC	-	-
CBL	-	-
THCA	88.12	881.2
CBC	-	-
Total Cannabinoids	91.83	918.3
Total THC % (0.877*THCA)+THC	80.01	

Terpenes	Results (% w/w)
α -Pinene	0.49
Camphene	0.04
β -Myrcene	1.61
β -Pinene	0.40
δ -3-Carene	-
Limonene	1.18
p-Cymene	-
α -Terpinolene	0.10
Linalool	0.36
Caryophyllene	1.86
α -Humulene	0.58
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.29
Nerolidol (total)	0.29
Total Terpenes	7.20



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 6/2/2026
Report Date: 6/5/2026
NELabs Report ID: 26101720-08

HE0326-1

Biotrack ID: TROPHY DAWG BHO LIVE RESIN SUGAR

3987 9750 9148 5715

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 6/2/2026

DATE 6/5/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

