

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 7/21/2026
Report Date: 7/24/2026
NELabs Report ID: 26102356-02

GTHPRINF1g-071526

Biotrack ID: Ghost Train Haze Infused Pre-Roll (1g)

8294 1291 5022 4781

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	150	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	150	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV	-	-
CBDA	<LOQ	<LOQ
CBGA	0.49	4.4
CBG	0.51	4.6
CBD	<LOQ	<LOQ
THCV	0.09	0.8
CBN	0.36	3.3
Δ^9 THC	15.07	136.4
Δ^8 THC	-	-
CBL	-	-
THCA	16.83	152.3
CBC	-	-
Total Cannabinoids	33.35	301.8
Total THC % (0.877*THCA)+THC	29.83	

Terpenes	Results (% w/w)*
α -Pinene	0.02
Camphene	-
β -Myrcene	0.04
β -Pinene	0.01
δ -3-Carene	-
Limonene	0.12
p-Cymene	-
α -Terpinolene	0.05
Linalool	0.03
Caryophyllene	0.12
α -Humulene	0.04
α -Bisabolol	-
Terpinene (total)	0.04
Ocimene (total)	0.08
Nerolidol (total)	-
Total Terpenes	0.55

* % by dry weight

Moisture

Results

Water Content (% w/w)	9.5
Water Activity (Aw)	0.46



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 7/21/2026
Report Date: 7/24/2026
NELabs Report ID: 26102356-02

GTHPRINF1g-071526

Biotrack ID: Ghost Train Haze Infused Pre-Roll (1g)

8294 1291 5022 4781

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/21/2026

DATE 7/24/2026	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
-------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

